



US00D557588S

(12) **United States Design Patent** (10) **Patent No.:** **US D557,588 S**
Stifle et al. (45) **Date of Patent:** **** Dec. 18, 2007**

(54) **ELECTRONIC KEY** 4,578,573 A 3/1986 Flies et al.
4,620,088 A 10/1986 Flies et al.
(75) Inventors: **William Stifle**, Rogers, MN (US); **Dean Daniels**, Rosemount, MN (US) 4,631,943 A 12/1986 Hoener
4,659,915 A 4/1987 Flies
4,663,952 A 5/1987 Gelhard
(73) Assignee: **Datakey Electronics, Inc.**, Savage, MN (US) D291,897 S 9/1987 Files
4,752,679 A 6/1988 Wehrmacher
4,791,257 A 12/1988 Frey et al.
D302,238 S 7/1989 Kopu
(**) Term: **14 Years** 4,922,736 A * 5/1990 Tanaka et al. 70/277

(21) Appl. No.: **29/265,029**

(Continued)

(22) Filed: **Aug. 23, 2006**

FOREIGN PATENT DOCUMENTS

(51) **LOC (8) Cl.** **08-07**

DE 36 20 755 12/1987
FR 2 723 655 2/1996

(52) **U.S. Cl.** **D8/347**

(58) **Field of Classification Search** D8/330-348;
70/353, 402, 405, 413, 272, 336, 344, 277,
70/252; 235/382; D20/22

OTHER PUBLICATIONS

International Search Report; Aug. 11, 2003.

See application file for complete search history.

(Continued)

(56) **References Cited**

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

U.S. PATENT DOCUMENTS

(57) **CLAIM**

3,001,167 A 9/1961 Chestnutt
D222,577 S * 11/1971 Belzano D8/347
D223,431 S * 4/1972 Muessel D8/347
3,660,831 A 5/1972 Nicola
3,686,659 A 8/1972 Bostrom
3,688,269 A * 8/1972 Miller 235/382
3,761,892 A 9/1973 Bosnyak
3,889,501 A 6/1975 Fort
4,085,394 A 4/1978 Weisenburger
4,176,782 A 12/1979 Fukuda et al.
4,200,227 A * 4/1980 Lemelson 235/382
4,297,569 A 10/1981 Files
4,326,125 A 4/1982 Files
D265,049 S 6/1982 Flies
4,379,966 A 4/1983 Flies
4,420,794 A 12/1983 Anderson
4,432,218 A 2/1984 Hoener
4,436,993 A 3/1984 Files
D274,126 S 6/1984 Flies
D278,836 S * 5/1985 Flies D20/22
4,522,456 A 6/1985 Wehrmacher
D279,586 S * 7/1985 Flies D20/22
4,549,076 A 10/1985 Flies

We claim the ornamental design for an electronic key, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of an electronic key.

FIG. 2 is a front elevational view of the electronic key of FIG. 1.

FIG. 3 is a rear elevational view of the electronic key of FIG. 1.


FIG. 4 is a left side view of the electronic key of FIG. 1.

FIG. 5 is a right side view of the electronic key of FIG. 1.

FIG. 6 is a top plan view of the electronic key of FIG. 1; and,

FIG. 7 is a bottom plan view of the electronic key of FIG. 1.

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS

D321,691 S 11/1991 Brenda et al.
 D322,387 S 12/1991 Bailey
 5,073,703 A 12/1991 Wehrmacher
 5,157,244 A 10/1992 Mroczkowski et al.
 D332,045 S * 12/1992 Moore D8/347
 5,250,986 A 10/1993 Axten et al.
 D345,686 S 4/1994 Boehner
 5,337,588 A 8/1994 Chhatwal
 5,422,634 A 6/1995 Okubo
 5,507,162 A 4/1996 Chhatwal
 5,526,662 A 6/1996 Diekhoff et al.
 5,625,349 A 4/1997 Disbrow et al.
 5,685,182 A 11/1997 Chhatwal
 5,758,529 A 6/1998 Chhatwal
 5,831,520 A 11/1998 Stephan
 5,836,187 A 11/1998 Janssen et al.
 5,841,637 A 11/1998 Chhatwal
 6,000,258 A 12/1999 Lesko
 6,035,677 A 3/2000 Janssen et al.
 6,078,265 A 6/2000 Bonder et al.
 6,092,404 A 7/2000 Chhatwal
 6,216,501 B1 * 4/2001 Marquardt et al. 70/252
 6,227,019 B1 5/2001 Chhatwal
 6,354,122 B1 3/2002 Snoko
 6,384,709 B2 5/2002 Mellen et al.
 6,425,084 B1 7/2002 Rallis et al.
 6,486,793 B1 11/2002 Buccola
 6,604,087 B1 8/2003 Kolls

D534,414 S * 1/2007 Stifle et al. D8/347
 7,158,008 B2 1/2007 Warning
 2002/0025062 A1 2/2002 Black
 2003/0184432 A1 10/2003 Warnging et al.

OTHER PUBLICATIONS

Advanced Portable Information Products, *Datakey Brochure*, 1999.
 DataTic™ *Datakey Brochure*, 2000.
 “2KBIT Read/Write with ANTICOLLISION Contactless Identification Device EM4056”, *EM Microelectronic-Marin SA*, Informational Brochure, 13 pgs., 2001.
 “Read Only Contactless Identification Device H4102”, Swatch Group, 6 pgs., 2000.
 “Read/Write Transponder Device Family”, ATMEL Wireless & μC, 2 pgs., 2001.
 “Read/Write IDIC Micromodule with 1 Kbit Memory T5552”, ATMEL Wireless & μC, 12 pgs., May 1, 2001.
 “Standard R/W/IDIC with Integrated Capacitance T554”, ATMEL Wireless & μC, 19 pgs., Sep. 3, 2001.
 “Multifunctional 330-bit Read/Write RF-Identification IC T557”, ATMEL, 24 pgs., Dec. 11, 2001.
 iDTAG, Gang Programmer for Datakey Key/Slim Modules (SPI, Microwire & IIC Bus), 6 pgs., Nov. 29, 2001.
 Datakey Guardian “Marina Access Control”, *Datakey Brochure*, (2 pgs.), (published prior to the filing date of the application) Mar. 29, 2002.
 Datakey QuikPay, *DataKey Brochure* (2 pgs.), (published prior to the filing date of the application) Mar. 29, 2002.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7