



US00D557655S

(12) **United States Design Patent**
Thiebaud

(10) **Patent No.:** **US D557,655 S**

(45) **Date of Patent:** **** Dec. 18, 2007**

(54) **PNEUMATIC TIRE**

(75) Inventor: **Philippe Thiebaud**, Beaumont (FR)

(73) Assignee: **Michelin Recherche et Technique S.A.**, Granges-Paccot (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/252,554**

(22) Filed: **Jan. 25, 2006**

(30) **Foreign Application Priority Data**

Jul. 25, 2005 (FR) 05 3789

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/584**

(58) **Field of Classification Search** D12/544,
D12/546, 560, 561, 566, 567, 579, 581, 596,
D12/597, 602, 603, 900, 901, 584; 152/209.1,
152/209.12, 209.18, 209.25

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D72,263 S *	3/1927	Hutchens	D12/569
D77,235 S *	12/1928	Hower	D12/534
D196,898 S	11/1963	Macwherter		
D208,131 S	7/1967	Wittenmyer		
D211,770 S	7/1968	Zimmerman et al.		
D239,270 S	3/1976	Smajd et al.		
D243,449 S	2/1977	Hayakawa et al.		
D248,292 S	6/1978	Maeda et al.		
D253,642 S	12/1979	Amarger		
D262,281 S	12/1981	Candiliotis		
D264,702 S	6/1982	Kaga		
D287,708 S *	1/1987	Hayakawa	D12/603
D301,132 S	5/1989	Himuro et al.		
D334,362 S	3/1993	Stone et al.		
D338,178 S	8/1993	Yamashita		

D354,032 S	1/1995	Grosskopf		
D385,234 S	10/1997	Young		
D385,235 S	10/1997	Young		
D386,452 S	11/1997	Tsukagoshi		
D425,457 S *	5/2000	Gillard et al.	D12/596
D451,437 S *	12/2001	Reid et al.	D12/582

OTHER PUBLICATIONS

Continental HSR-1 Tire, 2004 Tread Design Guide, Jan. 2004, p. 112. 4/1.*

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Katrina A Kile

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll & Rooney PC

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a pneumatic tire showing my new design;


FIG. 2 is a perspective view of one side of the pneumatic tire shown in FIG. 1, wherein the other side is a mirror image.

FIG. 3 is an enlarged fragmentary perspective view taken along one edge of the pneumatic tire; and,

FIG. 4 is a side elevational view of one side of the pneumatic tire shown in FIG. 1, it being understood that the other side is a mirror image.

The tread pattern is understood to repeat uniformly throughout the circumference of the tire, as shown schematically in solid lines. The dash-dot-dash lines delineating the claim boundaries and the broken lines depicting the unclaimed tire sidewall form no part of the claim.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG .3




FIG. 4