

## US00D557716S

# (12) United States Design Patent (10) Patent No.:

Okuda

(45) Date of Patent:

US D557,716 S \*\* Dec. 18, 2007

#### ICE MACHINE (54)

Inventor: Yu Okuda, Aicki-Ken (JP)

Assignee: Hoshizaki Denki Kabushiki Kaisha, (73)

Aichi-ken (JP)

14 Years Term:

Appl. No.: 29/265,592

Sep. 5, 2006 Filed:

#### (30)Foreign Application Priority Data

Mar. 13, 2006	(JP)	
Mar. 13, 2006	(JP)	2006-006211
Mar. 13, 2006	(JP)	

(51)	LOC (8) Cl.	
(50)	HC CL	D15/00

(58)D15/80, 81, 82, 88, 91; 62/3.1, 3.6, 3.63, 62/3.64, 45.1, 293, 331, 371, 440, 467, 529, 62/531; 312/236, 352, 400–408; D7/405,

D7/605; D23/324, 325, 342; D6/432 See application file for complete search history.

#### (56)**References Cited**

## U.S. PATENT DOCUMENTS

D248,913 S \* (Continued)

Primary Examiner—Stella M. Reid Assistant Examiner—Shanda C. Hill (74) Attorney, Agent, or Firm—Osha Liang LLP

#### **CLAIM** (57)


The ornamental design for an ice machine, as shown and described.


# DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of the design according to a first embodiment of the invention.

- FIG. 2 is a front view of the design according to the first embodiment of the invention.
- FIG. 3 is a right side view of the design according to the first embodiment of the invention.
- FIG. 4 is a rear view of the design according to the first embodiment of the invention.
- FIG. 5 is a left side view of the design according to the first embodiment of the invention.
- FIG. 6 is a top plan view of the design according to the first embodiment of the invention.
- FIG. 7 is a bottom view of the design according to the first embodiment of the invention.
- FIG. 8 is a cross sectional view of the design according to the first embodiment of the invention taken along Line 8—8 as shown in FIG. 2.
- FIG. 9 is a cross sectional view of the design according to the first embodiment of the invention taken along Line 9—9 as shown in FIG. 2.
- FIG. 10 is a perspective view of top, front and right side of the design according to a second embodiment of the invention.
- FIG. 11 is a front view of the design according to the second embodiment of the invention.
- FIG. 12 is a right side view of the design according to the second embodiment of the invention.
- FIG. 13 is a rear view of the design according to the second embodiment of the invention.
- FIG. 14 is a left side view of the design according to the second embodiment of the invention.
- FIG. 15 is a top plan view of the design according to the second embodiment of the invention.
- FIG. 16 is a bottom view of the design according to the second embodiment of the invention.
- FIG. 17 is a cross sectional view of the design according to the second embodiment of the invention taken along Line 17—17 as shown in FIG. 11; and,
- FIG. 18 is a cross sectional view of the design according to the second embodiment of the invention taken along Line **18**—**18** as shown in FIG. **11**.

# 1 Claim, 8 Drawing Sheets





# US D557,716 S Page 2

U.S. I	PATENT	DOCUMENTS	D440,987 S *	4/2001	Okamoto et al D15/81
			D442,973 S *	5/2001	Strandell et al D15/80
D327,793 S *	7/1992	McGrory D6/448	•		Strandell et al D15/80
D342,744 S *	12/1993	Renner D15/81	•		Sato et al
D358,823 S *	5/1995	Grant D15/83	·		Okamoto et al D15/81
D369,608 S *	5/1996	Ratchford D15/80	·		McDougal et al D15/80
D421,027 S *	2/2000	Strandell et al D15/80			
D431,576 S *	10/2000	Okuda D15/80	* cited by examiner		
			<del>-</del>		








FIG. 1











F/G. 6

FIG. 7





F/G. 10

