



US00D557716S

(12) **United States Design Patent**
Okuda

(10) **Patent No.:** **US D557,716 S**
(45) **Date of Patent:** **** Dec. 18, 2007**

(54) **ICE MACHINE**

(75) Inventor: **Yu Okuda**, Aicki-Ken (JP)

(73) Assignee: **Hoshizaki Denki Kabushiki Kaisha**,
Aichi-ken (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/265,592**

(22) Filed: **Sep. 5, 2006**

(30) **Foreign Application Priority Data**

Mar. 13, 2006	(JP)	2006-006210
Mar. 13, 2006	(JP)	2006-006211
Mar. 13, 2006	(JP)	2006-006212

(51) **LOC (8) Cl.** **15-07**

(52) **U.S. Cl.** **D15/80**

(58) **Field of Classification Search** D15/79,
D15/80, 81, 82, 88, 91; 62/3.1, 3.6, 3.63,
62/3.64, 45.1, 293, 331, 371, 440, 467, 529,
62/531; 312/236, 352, 400-408; D7/405,
D7/605; D23/324, 325, 342; D6/432
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D248,913 S * 8/1978 Robinson D6/440

(Continued)

Primary Examiner—Stella M. Reid

Assistant Examiner—Shanda C. Hill

(74) *Attorney, Agent, or Firm*—Osha Liang LLP

(57) **CLAIM**

The ornamental design for an ice machine, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of the design according to a first embodiment of the invention.

FIG. 2 is a front view of the design according to the first embodiment of the invention.

FIG. 3 is a right side view of the design according to the first embodiment of the invention.

FIG. 4 is a rear view of the design according to the first embodiment of the invention.

FIG. 5 is a left side view of the design according to the first embodiment of the invention.

FIG. 6 is a top plan view of the design according to the first embodiment of the invention.

FIG. 7 is a bottom view of the design according to the first embodiment of the invention.

FIG. 8 is a cross sectional view of the design according to the first embodiment of the invention taken along Line 8—8 as shown in FIG. 2.

FIG. 9 is a cross sectional view of the design according to the first embodiment of the invention taken along Line 9—9 as shown in FIG. 2.

FIG. 10 is a perspective view of top, front and right side of the design according to a second embodiment of the invention.

FIG. 11 is a front view of the design according to the second embodiment of the invention.

FIG. 12 is a right side view of the design according to the second embodiment of the invention.

FIG. 13 is a rear view of the design according to the second embodiment of the invention.

FIG. 14 is a left side view of the design according to the second embodiment of the invention.


FIG. 15 is a top plan view of the design according to the second embodiment of the invention.

FIG. 16 is a bottom view of the design according to the second embodiment of the invention.

FIG. 17 is a cross sectional view of the design according to the second embodiment of the invention taken along Line 17—17 as shown in FIG. 11; and,

FIG. 18 is a cross sectional view of the design according to the second embodiment of the invention taken along Line 18—18 as shown in FIG. 11.

1 Claim, 8 Drawing Sheets



US D557,716 S

Page 2

U.S. PATENT DOCUMENTS

D327,793 S *	7/1992	McGrory	D6/448	D440,987 S *	4/2001	Okamoto et al.	D15/81
D342,744 S *	12/1993	Renner	D15/81	D442,973 S *	5/2001	Strandell et al.	D15/80
D358,823 S *	5/1995	Grant	D15/83	D463,464 S *	9/2002	Strandell et al.	D15/80
D369,608 S *	5/1996	Ratchford	D15/80	D501,488 S *	2/2005	Sato et al.	D15/81
D421,027 S *	2/2000	Strandell et al.	D15/80	D501,856 S *	2/2005	Okamoto et al.	D15/81
D431,576 S *	10/2000	Okuda	D15/80	D526,338 S *	8/2006	McDougal et al.	D15/80

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18