



US00D557760S

(12) **United States Design Patent**
Higgins

(10) **Patent No.:** **US D557,760 S**

(45) **Date of Patent:** **** Dec. 18, 2007**

(54) **GOLF SWING ADJUSTABLE TRAINING AID ASSEMBLY**

(76) Inventor: **Neil Higgins**, 2109 Cypress St., San Luis Obispo, CA (US) 93401

(**) Term: **14 Years**

(21) Appl. No.: **29/279,937**

(22) Filed: **May 11, 2007**

Related U.S. Application Data

(62) Division of application No. 11/746,805, filed on May 10, 2007.

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/791**

(58) **Field of Classification Search** D21/789,
D21/791, 756; 473/294, 300-303, 251-256,
473/201, 219, 226, 229, 231, 232
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,819,944	A *	4/1989	Doane	473/256
5,037,103	A *	8/1991	Williams et al.	473/294
5,106,095	A *	4/1992	Pitkethly	473/201
5,388,834	A	2/1995	Dawson	
D407,455	S *	3/1999	Dolce	D21/756
6,071,199	A *	6/2000	Suzuki	473/294

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—William Keyworth; Bill & Mary Lou Inc.

(57) **CLAIM**

The ornamental design for a golf swing adjustable training aid assembly, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the golf swing adjustable training aid assembly with the handles attached in the outermost position.

FIG. 2 is a side view of the golf swing adjustable training aid assembly with the handles attached in the outermost position; the undisclosed opposite side being a mirror image.

FIG. 3 is a rear side view of the golf swing adjustable training aid assembly with the handles attached in the outermost position.

FIG. 4 is a top view of the golf swing adjustable training aid assembly with the handles attached in the outermost position.

FIG. 5 is a bottom view of the golf swing adjustable training aid assembly with the handles attached in the outermost position.

FIG. 6 is a reduced front view of the golf swing adjustable training aid assembly with the handles attached in the outermost position.

FIG. 7 is a reduced front view of the golf swing adjustable training aid assembly with the handles attached in the intermediate position.


FIG. 8 is a reduced front view of the golf swing adjustable training aid assembly with the handles attached in the innermost position.

FIG. 9 is an exploded view of the golf swing adjustable training aid assembly showing the arrangement of the individual parts. The individual parts of the assembly are embraced by a bracket; and,

FIG. 10 is a rear view of the golf swing adjustable training aid assembly with the handles attached in a position for storage.

The broken line showing of the golf club in FIGS. 6-8 is included for the purpose of illustrating and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10