



US00D557883S

(12) **United States Design Patent**  
**McClaskie**

(10) **Patent No.:** **US D557,883 S**

(45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **OUTSOLE FOR A SHOE**  
(75) Inventor: **Thomas E. McClaskie**, Bethlehem, PA  
(US)  
(73) Assignee: **Columbia Insurance Company**,  
Omaha, NE (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/262,299**

4,908,963 A	3/1990	Krajcir et al.	36/77
4,995,174 A	2/1991	Hong et al.	36/72
5,048,203 A	9/1991	Kling	36/32
D330,802 S *	11/1992	Edmund et al.	D2/952
5,185,944 A	2/1993	Okajima	36/45
D335,953 S	6/1993	Tyng	D2/320
D345,453 S	3/1994	Carpenter	D2/955
5,499,459 A	3/1996	Tomaro	36/10
D369,234 S *	4/1996	Fabio	D2/952
5,526,584 A	6/1996	Bleimhofer et al.	36/10
D381,494 S	7/1997	Anderson	D2/959

(22) Filed: **Jun. 29, 2006**  
(51) **LOC (8) Cl.** ..... **02-04**  
(52) **U.S. Cl.** ..... **D2/952; D2/950; D2/953**  
(58) **Field of Classification Search** ..... D2/947,  
D2/949, 951, 953, 957, 959, 960; 36/3 B,  
36/22 R, 24.5, 25 R, 32 R, 59 C, 103  
See application file for complete search history.

(Continued)

*Primary Examiner*—Celia A. Murphy  
(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston  
& Reens LLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,974,543 A	9/1934	Reymond	12/142
2,046,217 A	6/1936	Strauss	36/72
2,079,237 A	5/1937	Allard	36/2
2,160,768 A	5/1939	Wasser	36/72
2,344,069 A	3/1944	Wasser	36/72
3,091,871 A	6/1963	Tronche	36/72
3,175,310 A	3/1965	MacQuaid	36/72
3,175,311 A	3/1965	MacQuaid	36/72
3,191,321 A	6/1965	Brutting	36/2.5
3,213,551 A	10/1965	Krauss	36/2.5
3,407,518 A	10/1968	MacQuaid et al.	36/72
3,525,165 A	8/1970	Randall, Jr.	36/2.5
3,561,142 A	2/1971	Streit, Sr. et al.	36/72
D256,518 S	8/1980	Moesle	D2/320
4,231,170 A	11/1980	Griswold	36/72
4,366,629 A	1/1983	Scherz	36/4
4,562,652 A	1/1986	Hensler	36/102

(57) **CLAIM**


I claim the ornamental design for an outsole for a shoe, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom perspective view of an outsole for a shoe showing my new design;  
FIG. 2 is a bottom view thereof;  
FIG. 3 is a right side view thereof;  
FIG. 4 is left side view thereof;  
FIG. 5 a front view thereof; and,  
FIG. 6 is a rear view thereof.

The closed broken-line shape in the arch area of FIGS. 1 & 2, along with the parallel broken lines partially around the peripheries of FIGS. 1–6, represent the boundaries of the design; with neither the lines themselves, nor the areas within them forming any part of the claim.

**1 Claim, 4 Drawing Sheets**



# US D557,883 S

Page 2

---

## U.S. PATENT DOCUMENTS

D384,798 S	10/1997	Gray	.....	D2/964	D489,520 S *	5/2004	Matis et al.	.....	D2/952
5,738,937 A	4/1998	Baychar	.....	428/316.6	D497,468 S *	10/2004	McClaskie	.....	D2/952
6,065,230 A *	5/2000	James	.....	36/25 R	6,836,979 B2 *	1/2005	Flavio et al.	.....	36/103
D430,968 S	9/2000	Carroll	.....	D2/962	D501,707 S	2/2005	Nakano	.....	D2/959
6,161,315 A	12/2000	Dalton	.....	36/134	D515,790 S *	2/2006	Romano et al.	.....	D2/952
D468,083 S	1/2003	Morais	.....	D2/960	D525,017 S *	7/2006	Ochoa	.....	D2/952
D468,893 S *	1/2003	Lupo	.....	D2/952	D529,265 S *	10/2006	Corbi Rico	.....	D2/957
D472,037 S *	3/2003	Masullo	.....	D2/953	D542,015 S *	5/2007	McClaskie	.....	D2/952
D474,584 S *	5/2003	Matis	.....	D2/953	2004/0098881 A1 *	5/2004	Flavio et al.	.....	36/25 R
D483,555 S	12/2003	Robinson, Jr. et al.	.....	D2/954	2004/0148804 A1 *	8/2004	Romano et al.	.....	36/103

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3






FIG. 4



**FIG. 5**



**FIG. 6**