

US00D558087S

(12) **United States Design Patent** (10) **Patent No.:** **US D558,087 S**  
**Pontaoe** (45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **SIDE RELEASE BUCKLE MEMBER**

D538,197 S \* 3/2007 Wemmer ..... D11/216

(75) Inventor: **John S. Pontaoe**, Chicago, IL (US)

\* cited by examiner

(73) Assignee: **Illinois Tool Works Inc**, Glenview, IL (US)

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Mark W. Croll; Paul F. Donovan

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/267,066**

The ornamental design for a side release buckle member, as shown and described.

(22) Filed: **Oct. 4, 2006**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Classification Search** ..... D11/200–201,  
D11/206–210, 214–216, 218; 24/163 R,  
24/169–171, 173, 177–179, 191, 194, 195,  
24/200, 197

See application file for complete search history.

FIG. 1 is a perspective view of the invention showing the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a front end view thereof;

FIG. 5 is a back end view thereof;

FIG. 6 is a right side view thereof; and,

FIG. 7 is a left side view thereof.

The broken line portions of the disclosure are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D405,725 S \* 2/1999 Anscher ..... D11/216


D423,985 S \* 5/2000 Yoshiguchi ..... D11/218

6,757,944 B2 7/2004 Buscart


D519,878 S \* 5/2006 Anscher ..... D11/216

**1 Claim, 5 Drawing Sheets**







***Fig. 1***




***Fig. 2***




***Fig. 3***




***Fig. 4***



***Fig. 5***



***Fig. 6***



***Fig. 7***