



US00D558095S

(12) **United States Design Patent**  
**Leclercq**

(10) **Patent No.:** **US D558,095 S**  
(45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **SURFACE CONFIGURATION OF A VEHICLE, TOY, AND/OR OTHER REPLICAS**

(75) Inventor: **Pierre Leclercq**, Munich (DE)

(73) Assignee: **Bayerische Motoren Werke Aktiengesellschaft**, Munich (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/270,222**

(22) Filed: **Dec. 19, 2006**

(30) **Foreign Application Priority Data**

Jun. 20, 2006 (DE) ..... 40603285

(51) **LOC (8) Cl.** ..... **12-08**

(52) **U.S. Cl.** ..... **D12/91**

(58) **Field of Classification Search** ..... D12/90-92, D12/86, 88; D21/424, 433; 296/181.1, 181.5  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D419,109 S 1/2000 Gabath  
D506,416 S \* 6/2005 Boyer ..... D12/91  
D520,910 S \* 5/2006 Nordmann ..... D12/91

**FOREIGN PATENT DOCUMENTS**

JP D1061836 2/2000

\* cited by examiner

*Primary Examiner*—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a vehicle, toy, and/or other replicas, as shown and described.

**DESCRIPTION**

This application is related to the following co-pending applications, of the inventor, filed on even date herewith:

Application Ser. No. 29/270,229, entitled “Surface Configuration of a Headlight for a Vehicle”;

Application Ser. No. 29/270,230, entitled “Surface Configuration of a Taillight for a Vehicle”;

Application Ser. No. 29/270,231, entitled “Surface Configuration of a Taillight for a Vehicle”;

Application Ser. No. 29/270,224, entitled “Surface Configuration of a Hood for a Vehicle”;

Application Ser. No. 29/270,237, entitled “Surface Configuration of a Rear Door for a Vehicle”;

Application Ser. No. 29/270,238, entitled “Surface Configuration of a Rear Panel for a Vehicle”;

Application Ser. No. 29/270,228, entitled “Surface Configuration of a Door for a Vehicle”;

Application Ser. No. 29/270,227, entitled “Surface Configuration of a Door for a Vehicle”;

Application Ser. No. 29/270,235, entitled “Surface Configuration of a Front Bumper for a Vehicle”;

Application Ser. No. 29/270,223, entitled “Surface Configuration of a Rear Bumper for a Vehicle”;

Application Ser. No. 29/270,233, entitled “Surface Configuration of a Side Mirror for a Vehicle”;

Application Ser. No. 29/270,221, entitled “Surface Configuration of a Front Fender for a Vehicle”;

Application Ser. No. 29/270,236, entitled “Surface Configuration of a Rear Fender for a Vehicle”; and

Application Ser. No. 29/270,232, entitled “Surface Configuration of a Rear Fender for a Vehicle”.

FIG. 1 is a left, front perspective view of a surface configuration of a vehicle, toy, and/or other replicas according to my novel design, the right, front perspective view being mirror symmetrical;

FIG. 2 is a left, rear perspective view thereof, the right, rear perspective view being mirror symmetrical;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a front view thereof;

FIG. 6 is a rear view thereof; and,

FIG. 7 is a top view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design. Also enclosed is a set of photographs of an embodiment of the invention.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7