



US00D558133S

(12) **United States Design Patent** (10) **Patent No.:** **US D558,133 S**
Gerasimczuk (45) **Date of Patent:** **** Dec. 25, 2007**

(54) **PNEUMATIC TIRE**

(75) Inventor: **Alexandre Sorrentino Gerasimczuk**,
Santo Andre' SP (BR)

(73) Assignee: **Pirelli Pneumatici S.p.A.**, Milan (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/258,750**

(22) Filed: **Apr. 27, 2006**

(30) **Foreign Application Priority Data**

Oct. 28, 2005 (EM) 000422100-0001/0002

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/536**

(58) **Field of Classification Search** D12/536,
D12/533, 534, 535, 537, 541, 544, 545, 547,
D12/548, 549, 550, 551, 553, 555, 561, 563,
D12/564; 152/209.1, 209.11, 209.14, 209.15,
152/209.18, 209.25, 209.28

See application file for complete search history.

(56) **References Cited**

OTHER PUBLICATIONS

Dunlop KT171 ATV, Tread Design Guide 2005, Jan. 2005, P.200.
3/5.*

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Katrina A Kile

(74) *Attorney, Agent, or Firm*—Finnegan, Henderson,
Farabow, Garrett & Dunner, L.L.P.

(57) **CLAIM**

The ornamental design for a pneumatic tire, as shown and
described.

DESCRIPTION

FIG. 1 is a front-perspective view of a pneumatic tire of my
new design;

FIG. 2 is a right side view of thereof;

FIG. 3 is a left side view of thereof;


FIG. 4 is a front view of thereof;

FIG. 5 is a rear view of thereof;

FIG. 6 is a top view of thereof; and,

FIG. 7 is a bottom of thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7