



US00D558289S

(12) **United States Design Patent**  
**Main**

(10) **Patent No.:** **US D558,289 S**

(45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **SPORTS SHAFT**

(76) Inventor: **Brian W. Main**, 614 Rose St.,  
Petoskey, MI (US) 49770

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/248,144**

(22) Filed: **Jul. 31, 2006**

(51) **LOC (8) Cl.** ..... **21-02**

(52) **U.S. Cl.** ..... **D21/757**

(58) **Field of Classification Search** ..... D21/724,  
D21/756-757; 473/505-515; D25/120,  
D25/121, 122, 124

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,637,650 A	8/1927	McMurray	
D120,333 S *	5/1940	Barnhart	..... D21/757
D178,866 S	10/1956	Cole	
2,775,455 A	12/1956	Liberti	
2,895,737 A	7/1959	Blees	
2,957,208 A	10/1960	Gardner	
3,554,545 A	1/1971	Mann	
4,034,984 A	7/1977	Crawford et al.	
4,037,841 A	7/1977	Lewis, Jr.	
4,097,046 A	6/1978	Friant	
4,206,918 A	6/1980	Lewis, Jr.	
4,351,528 A	9/1982	Duplin	
D293,257 S	12/1987	Miller	
4,739,994 A	4/1988	Lewis, Jr.	
4,940,243 A	7/1990	Tucker et al.	
4,953,862 A	9/1990	Uke et al.	
4,958,395 A	9/1990	Busskohl	
5,042,804 A	8/1991	Uke et al.	
5,048,843 A	9/1991	Dorfi et al.	
5,125,130 A	6/1992	Stanish	
D379,208 S	5/1997	Kulisek, Jr.	
5,651,549 A	7/1997	Dill et al.	
5,651,744 A	7/1997	Millon et al.	

D385,936 S	11/1997	Nakazaki	
5,685,791 A	11/1997	Feeney	
D399,282 S	10/1998	Jarrett	
D401,639 S	11/1998	Yeh	
D431,274 S *	9/2000	Besnard et al.	..... D21/757
D443,907 S	6/2001	Tarica	
D444,834 S	7/2001	Tucker, Sr.	
6,447,412 B1	9/2002	Filippini	
6,500,079 B1	12/2002	Tucker, Sr.	
6,752,730 B1	6/2004	Brine, Jr. et al.	
6,949,037 B2	9/2005	Enos et al.	
D534,227 S *	12/2006	Lee	..... D21/724

(Continued)

*Primary Examiner*—Mitchell Siegel  
(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley &  
Mesiti, P.C.; Victor A. Cardona

(57) **CLAIM**

The ornamental design for the sports shaft, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a sports shaft comprising the new design;

FIG. 2 is a side view identical to the mirror image of the other side thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a top view thereof.

FIG. 5 is a perspective view of a sports shaft comprising another embodiment of the new design;


FIG. 6 is a side view identical to the mirror image of the other side thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a top view thereof.

The broken lines in the drawing figures are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



# US D558,289 S


Page 2

---


## U.S. PATENT DOCUMENTS

7,201,678 B2 *	4/2007	Filice et al. ....	473/513	2005/0075200 A1	4/2005	Brine, III et al.
2002/0066163 A1	6/2002	Lomax		2005/0079935 A1	4/2005	Morrow et al.
2003/0045380 A1	3/2003	Tucker, Sr.		2005/0130759 A1	6/2005	Hayden et al.
2004/0121864 A1	6/2004	Morrow et al.		2005/0130773 A1	6/2005	Hayden et al.
2005/0055801 A1	3/2005	Chang		2005/0137037 A1	6/2005	Tucker, Sr.
2005/0064964 A1	3/2005	Filice et al.		2005/0209029 A1	9/2005	Morrow et al.


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**




**FIG. 5**




**FIG. 6**





**FIG. 7**



**FIG. 8**