



US00D558315S

(12) **United States Design Patent**  
**Mukai**

(10) **Patent No.:** **US D558,315 S**

(45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **TOILET SEAT**

D447,794 S \* 9/2001 Hulsebus et al. .... D23/311  
D453,211 S \* 1/2002 Hulsebus et al. .... D23/311

(75) Inventor: **Yoshitaka Mukai**, Kitakyushu (JP)

\* cited by examiner

(73) Assignee: **ToTo Ltd.**, Kitakyushu (JP)

*Primary Examiner*—Robert A. Delehanty

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch, LLP

(21) Appl. No.: **29/257,033**

(57) **CLAIM**

(22) Filed: **Mar. 29, 2006**

The ornamental design for a toilet seat, as shown and described.

(51) **LOC (8) Cl.** ..... **23-02**

(52) **U.S. Cl.** ..... **D23/311**

(58) **Field of Classification Search** ..... D23/303,  
D23/309–312; 4/444, 483, 485–486, 217,  
4/234–235, 237–239, 242.1, DIG. 6, DIG. 9  
See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a perspective view of the top, front and right side of a toilet seat showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top plan view thereof; and,


FIG. 7 is a bottom view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

723,973 A \* 3/1903 Alexander ..... 4/234  
D215,937 S \* 11/1969 Meyer ..... D23/311  
D236,121 S \* 7/1975 O'Neil ..... D23/312  
D330,410 S \* 10/1992 Fimbres ..... D23/311  
D330,755 S \* 11/1992 Gerlach ..... D23/311

**1 Claim, 5 Drawing Sheets**








FIG. 1



*FIG. 2*



*FIG. 3*




FIG. 4




FIG. 5





FIG. 6



*FIG. 7*