

US00D558325S

(12) **United States Design Patent** (10) **Patent No.:** **US D558,325 S**  
**Karnes** (45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **TRUNK LINE TAKE-OFF**

(75) Inventor: **James A. Karnes**, Erie, PA (US)

(73) Assignee: **Dura-Tite Systems, LLC**, Erie, PA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/270,843**

(22) Filed: **Jan. 5, 2007**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 11/296,541, filed on Dec. 5, 2005.

(51) **LOC (8) Cl.** ..... **23-04**

(52) **U.S. Cl.** ..... **D23/393**

(58) **Field of Classification Search** ..... D23/393, D23/373, 370, 371, 387, 386, 390, 394, 392, D23/499; 454/250-253, 270, 275, 276, 243, 454/237, 369, 256, 333; 285/148.24, 210; 126/285 R, 292, 289, 287.5, 623; 137/75; 251/96

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

524,051 A 8/1894 Walker  
526,285 A 9/1894 Ayling  
698,995 A \* 4/1902 McCleary ..... 126/292  
2,654,363 A \* 10/1953 Simpson ..... 126/285 R  
3,070,345 A \* 12/1962 Knecht ..... 126/285 R  
3,495,606 A \* 2/1970 Phillips ..... 454/369  
3,954,289 A 5/1976 Martin, Sr.  
4,236,668 A \* 12/1980 Prikkel, III ..... 126/285 R  
4,249,758 A 2/1981 Harris  
4,262,652 A \* 4/1981 Butzen ..... 126/289  
4,263,890 A \* 4/1981 Turko et al. .... 126/292  
4,372,485 A \* 2/1983 McCabe ..... 126/285 R  
D268,281 S \* 3/1983 Prikkel, III ..... D23/386  
4,474,167 A \* 10/1984 McCabe ..... 126/287.5

4,559,867 A \* 12/1985 Van Becelaere et al. .... 454/369  
4,620,729 A 11/1986 Kauffman  
4,627,647 A 12/1986 Hauff  
4,628,954 A \* 12/1986 Dayus ..... 137/75  
RE32,362 E \* 2/1987 McCabe ..... 454/369  
4,646,715 A \* 3/1987 Russell ..... 126/292  
D347,471 S \* 5/1994 DeHerrera ..... D23/373  
D377,829 S \* 2/1997 Andresen ..... D23/393  
5,741,030 A 4/1998 Moore et al.  
5,857,617 A \* 1/1999 Weng ..... 454/256  
5,921,277 A \* 7/1999 Bernal ..... 454/333  
6,082,704 A \* 7/2000 Grinbergs ..... 251/96  
6,176,013 B1 \* 1/2001 Lucente ..... 29/890.14  
D459,455 S \* 6/2002 Twito ..... D23/393  
6,616,193 B2 \* 9/2003 Anderson ..... 285/210  
6,830,065 B2 \* 12/2004 Sinur et al. .... 285/148.24  
7,082,726 B2 \* 8/2006 Prenn et al. .... 126/623  
7,125,332 B2 \* 10/2006 Beaver et al. .... 454/369  
2006/0111037 A1 \* 5/2006 Poirier et al. .... 454/270

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—David G Muller

(74) *Attorney, Agent, or Firm*—Oliff & Berridge, PLC

(57) **CLAIM**

The ornamental design for a trunk line take-off, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a trunk line take-off in a closed position;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a left-side view thereof;


FIG. 5 is a right-side view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a perspective view thereof in an open position.

**1 Claim, 5 Drawing Sheets**








FIG. 1






FIG. 2




FIG. 3






FIG. 4




FIG. 5






FIG. 6




FIG. 7






FIG. 8