



US00D558390S

(12) **United States Design Patent** (10) **Patent No.:** **US D558,390 S**  
**Myers, Jr. et al.** (45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **TRIM FOR A LIGHT FIXTURE**

(75) Inventors: **Cyrus Myers, Jr.**, Plattsburgh, NY (US); **Andrew Schonbek**, Plattsburgh, NY (US); **Andrew Schuyler**, Colchester, VT (US); **Timothy Patnode**, Peru, NY (US)

(73) Assignee: **Schonbek Worldwide Lighting, Inc.**, Plattsburgh, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/252,116**

(22) Filed: **Jan. 19, 2006**

(51) **LOC (8) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/152**

(58) **Field of Classification Search** ..... D26/142,  
D26/113, 86, 24, 25, 122, 123, 124, 154,  
D26/138, 147, 152, 81, 83; 248/303; 63/32;  
D11/90; 362/571, 565, 232, 257, 317, 337,  
362/404, 405, 457, 806

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D55,512 S *	6/1920	Heller	.....	D11/90
1,560,414 A *	11/1925	De Haan	.....	63/32
D241,767 S *	10/1976	Schonbek	.....	D26/154
5,109,325 A *	4/1992	Bayer et al.	.....	362/433
5,116,009 A *	5/1992	Bayer	.....	248/303
D400,283 S *	10/1998	Lawrence	.....	D26/86
D499,837 S *	12/2004	Schonbek	.....	D26/154

**OTHER PUBLICATIONS**

Interior Design Magazine, Oct. 2005, 1 page.  
“Swarovski Crystal Palace”—Milan, Apr. 2003, www.swarovskisparkles.com.

“Geode pendant”, Schonbek Geometrix Catalog, 2006, p. 78.  
“Orion Strass Schondeliers”, Schonbek, 1977, portfolio 107, pp. 52-53.  
Orion, Schonbek, 1980, portfolio 108, pp. 66-67.  
“Strass”, Faustig Catalog, 1986, pp. 100-101.

\* cited by examiner

*Primary Examiner*—Freda S. Nunn  
*Assistant Examiner*—Kevin K. Rudzinski  
(74) *Attorney, Agent, or Firm*—Heslin Rothenberg Farley & Mesiti P.C.

(57) **CLAIM**

The ornamental design for a trim for a light fixture, as shown and described

**DESCRIPTION**

This application is related to commonly assigned, concurrently filed application Ser. No. 29/252,131, the disclosure of which is hereby incorporated by reference herein.

FIG. 1 is an isometric view of the first embodiment of the trim for a light fixture of the present invention;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right-side elevation view thereof, the left-side elevation view being a mirror image thereof;

FIG. 4 is a rear elevation view thereof;


FIG. 5 is a top plan view thereof; and

FIG. 6 is a bottom plan view thereof.

FIG. 7 is an isometric view of a second embodiment; and, FIG. 8 is an isometric view of a third embodiment.

The broken line is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7






FIGURE 8