



US00D558402S

(12) **United States Design Patent** (10) **Patent No.:** **US D558,402 S**  
**Petzl** (45) **Date of Patent:** **\*\* Dec. 25, 2007**

(54) **HARNESS**  
(75) Inventor: **Paul Petzl**, Barraux (FR)  
(73) Assignee: **Zedel**, Crolles (FR)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/269,643**  
(22) Filed: **Dec. 6, 2006**

*Primary Examiner*—T. Chase Nelson  
*Assistant Examiner*—Karen Acker  
(74) *Attorney, Agent, or Firm*—Oliff & Berridge, PLC

(30) **Foreign Application Priority Data**

Jun. 6, 2006 (EM) ..... 000 543236

(51) **LOC (8) Cl.** ..... **29-02**  
(52) **U.S. Cl.** ..... **D29/101.1**  
(58) **Field of Classification Search** ..... D29/100,  
D29/100.1, 100.2, 101.4, 122, 124; D21/683;  
D30/152; 2/311; 119/770, 857; 182/3-6,  
182/9, 133; 244/151 R; 297/485  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,252,998	A *	8/1941	Wachtel	182/6
2,344,031	A *	3/1944	De Shano	182/6
2,979,028	A *	4/1961	Zakely	182/3
3,159,241	A *	12/1964	Martin	182/6
3,757,893	A *	9/1973	Hobbs	182/6
4,197,816	A *	4/1980	Lusch	182/3
5,145,027	A *	9/1992	Petzl et al.	182/3
5,445,114	A *	8/1995	Walker	119/857
5,615,750	A *	4/1997	Phillips	182/6
6,050,364	A *	4/2000	Popall et al.	182/6
D429,386	S *	8/2000	Tingler	D29/124
6,244,379	B1 *	6/2001	Larson	182/6
6,283,248	B1 *	9/2001	Groover	182/6
6,374,946	B1 *	4/2002	Petzl et al.	182/6
6,431,313	B1 *	8/2002	Petzl et al.	182/6
2002/0042942	A1 *	4/2002	Colorado	2/230

**FOREIGN PATENT DOCUMENTS**

EP 1516646 A1 \* 3/2005

\* cited by examiner


(57) **CLAIM**

The ornamental design for a harness, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a harness according to a first embodiment;  
FIG. 2 is a front view thereof according to the first embodiment;  
FIG. 3 is a right-side view thereof according to the first embodiment;  
FIG. 4 is a left-side view thereof according to the first embodiment;  
FIG. 5 is a rear view thereof according to the first embodiment;  
FIG. 6 is a front view of a belt of the harness according to the first embodiment, the belt being shown in an unattached and separated position;  
FIG. 7 is a perspective view of the harness according to a second embodiment;  
FIG. 8 is a front view thereof according to the second embodiment;  
FIG. 9 is a right-side view thereof according to the second embodiment;  
FIG. 10 is a left-side view thereof according to the second embodiment;  
FIG. 11 is a rear view thereof according to the second embodiment; and,  
FIG. 12 is a front view of a belt of the harness according to the second embodiment, the belt being shown in an unattached and separated position.

**1 Claim, 12 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12