



US00D558452S

(12) **United States Design Patent**
Richter

(10) **Patent No.:** **US D558,452 S**
(45) **Date of Patent:** **** Jan. 1, 2008**

(54) **ANTISKID CONTAINER**

(76) Inventor: **Harald Richter**, Höhenstrasse 32,
75331 Engelsbrand (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/268,591**

(22) Filed: **Nov. 10, 2006**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/304; D3/314**

(58) **Field of Classification Search** D3/20,
D3/200-201, 203.1, 203.3, 205-206, 273,
D3/276, 304-316; D6/475-476, 525; D19/75,
D19/77, 86, 90, 92; 206/214-215, 307.1,
206/822; 229/100.914, 913, 406; 224/539,
224/483; 296/37.8, 37.12

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|-----------------|-------|------------|
| 773,481 | A * | 10/1904 | Donley | | 229/193 |
| D93,084 | S * | 8/1934 | Baum | | D3/203.1 |
| 2,967,002 | A * | 1/1961 | Lammers | | 220/737 |
| D190,458 | S * | 5/1961 | Flemming | | D3/206 |
| 3,016,177 | A * | 1/1962 | Chaplin | | 229/406 |
| 3,270,939 | A * | 9/1966 | Ebelhardt | | 229/117.19 |
| D247,651 | S * | 3/1978 | Carroll et al. | | D3/314 |
| 4,548,824 | A * | 10/1985 | Mitchell et al. | | 426/111 |
| D298,924 | S * | 12/1988 | Saارينen | | D11/155 |
| D309,518 | S * | 7/1990 | Viklund | | D3/313 |
| D323,533 | S * | 1/1992 | Williams | | D19/76 |

| | | | | | |
|--------------|------|--------|----------------|-------|-----------|
| D324,076 | S * | 2/1992 | Freitag | | D19/78 |
| D324,834 | S * | 3/1992 | Saارينen | | D11/155 |
| D325,397 | S * | 4/1992 | Williams | | D19/75 |
| D379,891 | S * | 6/1997 | Hampshire | | D6/525 |
| 6,230,948 | B1 * | 5/2001 | Steiger et al. | | 224/539 |
| 7,104,580 | B2 * | 9/2006 | Clark et al. | | 296/24.32 |
| 2002/0005424 | A1 * | 1/2002 | Lange et al. | | 224/539 |
| 2005/0199668 | A1 * | 9/2005 | Wheatley | | 224/483 |
| 2007/0051764 | A1 * | 3/2007 | Sturt et al. | | 224/539 |

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Eric L Goodman

(74) *Attorney, Agent, or Firm*—Klaus J. Bach


(57) **CLAIM**


The ornamental design for an antiskid container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an antiskid container;
 FIG. 2 is side view of the antiskid container shown in FIG. 1;
 FIG. 3 is a top view of the antiskid container shown in FIG. 1;
 FIG. 4 is a bottom view of the antiskid container shown in FIG. 1; and,
 FIG. 5 is a front view of the antiskid container shown in FIG. 1.

1 Claim, 5 Drawing Sheets








FIG. 2




FIG. 3




FIG. 4




FIG. 5