



US00D558519S

(12) **United States Design Patent**
Zemel

(10) **Patent No.:** **US D558,519 S**
(45) **Date of Patent:** **** Jan. 1, 2008**

(54) **COOKING DEVICE**

(75) Inventor: **Marc Zemel**, Melville, NY (US)

(73) Assignee: **Mr. Bar-B-Q-, Inc.**, Old Bethpage, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/246,884**

(22) Filed: **May 18, 2006**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/230,115, filed on May 18, 2005.

(51) **LOC (8) Cl.** **07-02**

(52) **U.S. Cl.** **D7/409**

(58) **Field of Classification Search** D7/323, D7/354-361, 387, 409; D15/90; D23/261; 4/287; 99/340-347, 422-427, 449, 450; 220/573.1, 485, 491-494, 752, 759, 769, 220/912; 426/132, 523

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,339,625 A 5/1920 Holloway
- 2,362,921 A 11/1944 Palensky
- 2,821,904 A 2/1958 Arcabosso
- D327,534 S * 6/1992 Manville et al. D23/261
- 5,301,602 A 4/1994 Ryczek
- 5,575,198 A 11/1996 Lowery
- D377,028 S * 12/1996 Monday D15/90
- 5,893,320 A 4/1999 Demaree
- 6,062,131 A 5/2000 Holland
- 6,119,585 A * 9/2000 Guidry 99/345
- 6,125,739 A 10/2000 Jernigan
- 6,192,792 B1 2/2001 Gremillion
- 6,216,586 B1 4/2001 Burgin
- 6,276,000 B1 * 8/2001 Saman et al. 4/287
- 6,349,632 B1 * 2/2002 Beck, Jr. 99/345

- 6,460,452 B1 10/2002 Hester
- 6,467,399 B1 10/2002 Boutte
- 6,487,964 B2 12/2002 Snoko
- 6,502,501 B1 1/2003 Simon
- 6,503,551 B1 1/2003 Hester
- 6,553,896 B1 4/2003 Heide
- 6,557,460 B2 5/2003 Hester
- 6,575,082 B1 * 6/2003 Liao 99/340
- 6,622,616 B1 9/2003 Measom
- D493,256 S 7/2004 Kim
- 6,779,438 B1 8/2004 Citrynell
- D506,352 S 6/2005 Dow
- D522,807 S * 6/2006 Dow et al. D7/409
- 7,063,007 B2 * 6/2006 Citrynell et al. 99/347

* cited by examiner

Primary Examiner—Caron D. Veynar

Assistant Examiner—Ricky Pham

(74) *Attorney, Agent, or Firm*—Seth Natter; Natter & Natter

(57) **CLAIM**

The ornamental design for a cooking device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cooking device showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a side elevational view thereof;

FIG. 5 is a front view thereof; and,

FIG. 6 is a perspective view of an alternate embodiment.

The side not illustrated is identical to the side illustrated in FIG. 4; the rear is identical to the front view of FIG. 5; the top, bottom, sides, front and rear of the alternate embodiment are identical to the respective views of FIG. 2, FIG. 3, FIG. 4 and FIG. 5, substituting circular apertures for the quadrilateral apertures.

1 Claim, 4 Drawing Sheets





Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

