



US00D558519S

(12) **United States Design Patent**  
**Zemel**

(10) **Patent No.:** **US D558,519 S**  
(45) **Date of Patent:** **\*\* Jan. 1, 2008**

(54) **COOKING DEVICE**

(75) Inventor: **Marc Zemel**, Melville, NY (US)

(73) Assignee: **Mr. Bar-B-Q-, Inc.**, Old Bethpage, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/246,884**

(22) Filed: **May 18, 2006**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/230,115, filed on May 18, 2005.

(51) **LOC (8) Cl.** ..... **07-02**

(52) **U.S. Cl.** ..... **D7/409**

(58) **Field of Classification Search** ..... D7/323, D7/354-361, 387, 409; D15/90; D23/261; 4/287; 99/340-347, 422-427, 449, 450; 220/573.1, 485, 491-494, 752, 759, 769, 220/912; 426/132, 523

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,339,625	A	5/1920	Holloway	
2,362,921	A	11/1944	Palensky	
2,821,904	A	2/1958	Arcabosso	
D327,534	S *	6/1992	Manville et al. ....	D23/261
5,301,602	A	4/1994	Ryczek	
5,575,198	A	11/1996	Lowery	
D377,028	S *	12/1996	Monday .....	D15/90
5,893,320	A	4/1999	Demaree	
6,062,131	A	5/2000	Holland	
6,119,585	A *	9/2000	Guidry .....	99/345
6,125,739	A	10/2000	Jernigan	
6,192,792	B1	2/2001	Gremillion	
6,216,586	B1	4/2001	Burgin	
6,276,000	B1 *	8/2001	Saman et al. ....	4/287
6,349,632	B1 *	2/2002	Beck, Jr. ....	99/345

6,460,452	B1	10/2002	Hester	
6,467,399	B1	10/2002	Boutte	
6,487,964	B2	12/2002	Snoke	
6,502,501	B1	1/2003	Simon	
6,503,551	B1	1/2003	Hester	
6,553,896	B1	4/2003	Heide	
6,557,460	B2	5/2003	Hester	
6,575,082	B1 *	6/2003	Liao .....	99/340
6,622,616	B1	9/2003	Measom	
D493,256	S	7/2004	Kim	
6,779,438	B1	8/2004	Citrynell	
D506,352	S	6/2005	Dow	
D522,807	S *	6/2006	Dow et al. ....	D7/409
7,063,007	B2 *	6/2006	Citrynell et al. ....	99/347

\* cited by examiner

*Primary Examiner*—Caron D. Veynar

*Assistant Examiner*—Ricky Pham

(74) *Attorney, Agent, or Firm*—Seth Natter; Natter & Natter

(57) **CLAIM**

The ornamental design for a cooking device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cooking device showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a side elevational view thereof;

FIG. 5 is a front view thereof; and,

FIG. 6 is a perspective view of an alternate embodiment.

The side not illustrated is identical to the side illustrated in FIG. 4; the rear is identical to the front view of FIG. 5; the top, bottom, sides, front and rear of the alternate embodiment are identical to the respective views of FIG. 2, FIG. 3, FIG. 4 and FIG. 5, substituting circular apertures for the quadrilateral apertures.

**1 Claim, 4 Drawing Sheets**





Fig. 1






Fig. 2




Fig. 3




Fig. 4




Fig. 5






Fig. 6

