



US00D558618S

(12) **United States Design Patent**
Renner et al.

(10) **Patent No.:** **US D558,618 S**
(45) **Date of Patent:** **** Jan. 1, 2008**

(54) **BUILDING AUTOMATION DEVICE
HOUSING**

Primary Examiner—Antoine D. Davis

(75) Inventors: **Reinhard Renner**, Esslingen (DE);
Klaus Baumgartner, Sindelfingen (DE)

(57) **CLAIM**

The ornamental design for a building automation device housing, as shown and described.

(73) Assignee: **Siemens Schweiz AG**, Zürich

(**) Term: **14 Years**

(21) Appl. No.: **29/212,554**

DESCRIPTION

(22) Filed: **Sep. 3, 2004**

(30) **Foreign Application Priority Data**

Mar. 12, 2004 (CH) 130577
Mar. 12, 2004 (EM) 000153028-0003

FIG. 1 is a perspective view of the building automation housing;

FIG. 2 is a front view of the building automation housing;

FIG. 3 is a top view of the building automation housing;

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/50**

FIG. 4 is a typical side elevational view of the building automation housing;

(58) **Field of Classification Search** D10/49-50;
236/46 R, 47, 49.3, 51, 84, 94; 400/485
See application file for complete search history.

FIG. 5 is a bottom view of the building automation housing; and,

(56) **References Cited**

FIG. 6 is a back view of the building automation housing.


U.S. PATENT DOCUMENTS

5,813,779 A * 9/1998 Palmer et al. 400/485

The dashed lines, depicting circles, do not represent part of the claimed design.

* cited by examiner

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6