



US00D558662S

(12) **United States Design Patent** (10) **Patent No.:** **US D558,662 S**
Dumigan et al. (45) **Date of Patent:** **** Jan. 1, 2008**

(54) **TIRE TREAD**

(75) Inventors: **Keith A. Dumigan**, Akron, OH (US);
Yasuo Himuro, Fachskawa (JP)

(73) Assignees: **Bridgestone Firestone North**
American Tire, LLC, Nashville, TN
(US); **Bridgestone Corporation**,
Chuo-ku, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/260,787**

(22) Filed: **Jun. 1, 2006**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/531**

(58) **Field of Classification Search** D12/500,
D12/502, 505, 514, 530-532, 900, 901; 152/209.1,
152/209.8-209.9, 209.25, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D305,016 S	12/1989	Hayakawa et al.
D340,212 S	10/1993	Montag et al.
D340,893 S	11/1993	Kobayashi et al.
D340,899 S *	11/1993	Kobayashi D12/530
D341,803 S *	11/1993	Maxwell D12/530
D347,816 S	6/1994	Maxwell et al.
D347,817 S	6/1994	Montag
D358,793 S	5/1995	Himuro et al.
D377,159 S	1/1997	Shirai et al.
D379,341 S	5/1997	Ratliff, Jr.
D384,922 S	10/1997	Ratliff, Jr.
D389,790 S	1/1998	Himuro
D390,172 S	2/1998	Johanning
D394,032 S	5/1998	Maxwell
D397,975 S	9/1998	Himuro
D403,624 S	1/1999	Ratliff, Jr.
D408,000 S	4/1999	Otani et al.

D409,957 S	5/1999	Corner
D416,836 S	11/1999	Himuro
D418,455 S	1/2000	Dumigan et al.
D429,194 S	8/2000	Heinen et al.
6,439,286 B1	8/2002	Baumhofer et al.
D482,318 S	11/2003	Tanigawa
D483,319 S	12/2003	Abe
D484,845 S	1/2004	Takahashi et al.
D498,204 S	11/2004	Sato
D502,911 S	3/2005	Sato
D525,579 S *	7/2006	Graas D12/532
D529,861 S *	10/2006	Takahashi et al. D12/531
D544,430 S *	6/2007	Fontaine et al. D12/530

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Thomas R. Kingsbury

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing my new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a side elevational view of the right side thereof.

FIG. 4 is a side elevational view of the left side thereof; and,

FIG. 5 is an enlarged fragmentary front elevation view thereof.

The broken lines defining the tire sidewall, inner bead, and the peripheral boundary between the claimed tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5