



US00D558915S

(12) **United States Design Patent**
Kakuno et al.

(10) **Patent No.:** **US D558,915 S**

(45) **Date of Patent:** **** Jan. 1, 2008**

(54) **HOLDER FOR FLUORESCENT LAMP**

(75) Inventors: **Yoshinori Kakuno**, Kadoma (JP);
Shiro Iida, Kadoma (JP); **Yasushige Tomiyoshi**, Kadoma (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/267,873**

(22) Filed: **Oct. 24, 2006**

(30) **Foreign Application Priority Data**

Aug. 8, 2006 (JP) 2006-021028

(51) **LOC (8) Cl.** **26-99**

(52) **U.S. Cl.** **D26/138**

(58) **Field of Classification Search** D26/1,
D26/2, 3, 26, 42, 72, 79, 113, 114, 118, 124,
D26/128, 131, 134, 138, 140, 141, 142, 143,
D26/152, 153; D13/136; 313/315; 362/373,
362/222, 217, 260, 247, 296, 341, 344, 347,
362/609, 614, 581, 516, 649

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,145,787 A * 1/1939 De Reamer 439/242
2,288,376 A * 6/1942 Tuppen 315/326
2,296,114 A * 9/1942 Mueller et al. 439/238
2,449,394 A * 9/1948 Kulka 315/96
2,511,155 A * 6/1950 Gaynor 439/231
2,511,179 A * 6/1950 Salter 315/100
D177,294 S * 3/1956 Willis D26/142
D204,483 S * 4/1966 Brinkhoff D26/140
3,558,873 A * 1/1971 Smith 362/223

D283,121 S * 3/1986 Oesterheld et al. D13/134
4,974,131 A * 11/1990 Paradiso 362/217
D313,005 S * 12/1990 Zimmerman D13/134
4,994,943 A * 2/1991 Aspenwall 362/219
5,132,885 A * 7/1992 Hocheim et al. 362/217
D348,249 S * 6/1994 Hester D13/134
D403,100 S * 12/1998 Bartasevich et al. D26/113
D448,096 S * 9/2001 Choi D26/3
D521,451 S * 5/2006 Wiskerke D13/134
2003/0011308 A1 * 1/2003 Crawford et al. 313/623
2004/0085762 A1 * 5/2004 Iwasa et al. 362/217
2005/0185396 A1 * 8/2005 Kutler 362/218

FOREIGN PATENT DOCUMENTS

JP D1167417 3/2003

* cited by examiner

Primary Examiner—Freda S. Nunn

Assistant Examiner—Kevin K. Rudzinski

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a holder for fluorescent lamp, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a holder for fluorescent lamp of the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a first side view thereof;

FIG. 6 is a second side view thereof; and,

FIG. 7 is a rear view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

