



US00D558990S

(12) **United States Design Patent**  
**Glance**

(10) **Patent No.:** **US D558,990 S**

(45) **Date of Patent:** **\*\* Jan. 8, 2008**

(54) **CHILD BOOSTER SEAT**

(76) Inventor: **Patrick Glance**, 45560 N. Territorial,  
Plymouth, MI (US) 48170

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/264,635**

(22) Filed: **Aug. 15, 2006**

(51) **LOC (8) Cl.** ..... **06-01**

(52) **U.S. Cl.** ..... **D6/333**

(58) **Field of Classification Search** ..... D6/333-336,  
D6/339-341, 344, 381, 491, 500-502; 297/250.1,  
297/255, 256.15; 5/94, 98.2, 103-104, 655,  
5/655.3; D12/129-130, 133; 280/30-31;  
D21/419

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,493,806	A *	1/1950	Dumas	.....	297/250.1
D262,242	S *	12/1981	Molnar	.....	D6/333
4,463,984	A *	8/1984	Molnar	.....	297/250.1
D278,482	S *	4/1985	Takada	.....	D6/333
D291,032	S *	7/1987	Sauter et al.	.....	D6/333
D360,307	S *	7/1995	Kain	.....	D6/333
D360,991	S *	8/1995	Kain	.....	D6/333
D365,691	S *	1/1996	Sedlack	.....	D6/333
D376,917	S *	12/1996	Kain	.....	D6/333
5,599,060	A *	2/1997	Stephens et al.	.....	297/256.15
5,615,925	A *	4/1997	Kain	.....	297/188.01
D383,316	S *	9/1997	Kain	.....	D6/333
5,685,604	A *	11/1997	Kain	.....	297/256.15
D453,631	S *	2/2002	Kassai et al.	.....	D6/333
D461,646	S *	8/2002	Kain	.....	D6/333
6,997,509	B2 *	2/2006	Kain	.....	297/250.1

D523,646	S *	6/2006	Fretschner et al.	.....	D6/333
D529,319	S *	10/2006	Shibata et al.	.....	D6/502
2001/0000638	A1 *	5/2001	Kassai et al.	.....	297/250.1
2007/0013216	A1 *	1/2007	Yeh	.....	297/250.1

\* cited by examiner

*Primary Examiner*—Sandra Snapp

(74) *Attorney, Agent, or Firm*—Clark Hill PLC

(57) **CLAIM**

The ornamental design for a child booster seat, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a child booster seat detailing my new design;

FIG. 2 is a left-side view thereof;

FIG. 3 is a right-side view thereof;

FIG. 4 is a front view thereof;


FIG. 5 is rear view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a perspective view of a second embodiment of FIG. 1, the only difference being the addition of a height adjustment knob on the front of the seat, it being understood that all other surfaces are the same as those of the first embodiment; and,

FIG. 8 is a perspective view of a third embodiment of the FIG. 1, the only difference being the addition of a height adjustment knob and a quick release pull strap on the front of the seat, it being understood that all other surfaces are the same as those of the first embodiment.

**1 Claim, 5 Drawing Sheets**






FIG.1.

FIG. 2.




FIG. 3.




FIG. 4.






FIG. 5.





FIG. 6.






FIG.7



FIG.8