



US00D559079S

(12) **United States Design Patent**  
**Berry et al.**

(10) **Patent No.:** **US D559,079 S**

(45) **Date of Patent:** **\*\* Jan. 8, 2008**

(54) **LOCKING PIN**

(75) Inventors: **Paul Armstrong Berry**, Berowra Heights (AU); **Murray James Clarke**, Dummoyne (AU); **Stephen John Celati**, Concord West (AU)

(73) Assignee: **Dematic Pty Ltd**, Belrose (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/269,161**

(22) Filed: **Nov. 21, 2006**

(30) **Foreign Application Priority Data**

May 24, 2006 (AU) ..... 12280/2006

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/343**

(58) **Field of Classification Search** ..... D8/16,  
D8/17, 88, 316, 317, 330-348; D23/266;  
294/1.1; 248/499; 29/270

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,571,809 A \* 2/1986 Rossow ..... 29/270

D421,379 S \* 3/2000 Sanford ..... D8/107  
D446,442 S \* 8/2001 Simpson ..... D8/354  
D483,799 S \* 12/2003 Kadota ..... D18/40  
D546,147 S \* 7/2007 Cullen ..... D8/16

\* cited by examiner

*Primary Examiner*—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—The Webb Law Firm

(57) **CLAIM**

The ornamental design for a locking pin, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of our locking pin;

FIG. 2 is a back elevation thereof;

FIG. 3 is a left side elevation thereof;


FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a front elevation thereof; and,

FIG. 7 is a right side elevation thereof.

**1 Claim, 2 Drawing Sheets**






FIG. 3




FIG. 2




FIG. 1




FIG. 7




FIG. 6




FIG. 4



FIG. 5