



US00D559134S

(12) **United States Design Patent**
Henderson

(10) **Patent No.:** **US D559,134 S**

(45) **Date of Patent:** **** Jan. 8, 2008**

(54) **CHILD LOCATING DEVICE**

D542,679 S * 5/2007 Bloem D10/65

(76) Inventor: **Deondre D. Henderson**, P.O. Box
1338, Hawaiian Gardens, CA (US)
90716

* cited by examiner

Primary Examiner—Antoine D. Davis

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/260,154**

I claim, the ornamental design for the child locating device,
as shown.

(22) Filed: **May 22, 2006**

DESCRIPTION

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65**

(58) **Field of Classification Search** D10/65,
D10/70, 105–106; 340/539.1, 539.11, 539.13,
340/539.15, 573.1, 572.8, 572.9, 573.7, 573.4,
340/988 T; 607/30, 27, 32, 301
See application file for complete search history.

FIG. 1 is a front view of the child locating device;

FIG. 2 is a rear view of the child locating device;

FIG. 3 is a right-side view of the child locating device;

FIG. 4 is a left-side view of the child locating device;

FIG. 5 is a top view of the child locating device; and,

FIG. 6 is a bottom view of the child locating device.


The broken line showing of a grid pattern forms apart of the
structure of the display screen housing of the claimed
design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D506,937 S * 7/2005 Lee et al. D10/65
- D515,441 S * 2/2006 Shindo D10/65
- D540,204 S * 4/2007 Aguilar D10/65

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6