

US00D559178S

(12) **United States Design Patent**
Ashida et al.

(10) **Patent No.:** **US D559,178 S**
(45) **Date of Patent:** **** Jan. 8, 2008**

(54) **AC ADAPTOR FOR ELECTRONIC GAME MACHINE**

(76) Inventors: **Kenichiro Ashida**, c/o Nintendo Co., Ltd., 11-1, Hokotate-cho, Kamitoba, Minami-ku, Kyoto-shi, Kyoto (JP); **Yuji Hori**, c/o Nintendo Co., Ltd., 11-1, Hokotate-cho, Kamitoba, Minami-ku, Kyoto-shi, Kyoto (JP); **Masato Ibuki**, c/o Nintendo Co., Ltd., 11-1, Hokotate-cho, Kamitoba, Minami-ku, Kyoto-shi, Kyoto (JP); **Shinji Yamamoto**, c/o Nintendo Co., Ltd., 11-1, Hokotate-cho, Kamitoba, Minami-ku, Kyoto-shi, Kyoto (JP); **Fumiyoshi Suetake**, c/o Nintendo Co., Ltd., 11-1, Hokotate-cho, Kamitoba, Minami-ku, Kyoto-shi, Kyoto (JP); **Akiko Suga**, c/o Nintendo Co., Ltd., 11-1, Hokotate-cho, Kamitoba, Minami-ku, Kyoto-shi, Kyoto (JP)

D308,197 S	5/1990	Inoue	
D317,913 S	7/1991	Inoue	
5,035,627 A *	7/1991	Burnett et al.	439/64
D327,918 S	7/1992	Cordell	
D336,746 S *	6/1993	Tse	D14/433
D342,935 S *	1/1994	Ogasawara	D13/119
D400,513 S *	11/1998	Seirio	D13/184
D413,303 S *	8/1999	Hakoda	D13/145
D423,452 S *	4/2000	Fujisawa et al.	D13/110
D436,919 S *	1/2001	Wakefield et al.	D13/110
D464,626 S *	10/2002	Ashida et al.	D13/147
D470,848 S *	2/2003	Morooka	D14/433
D505,133 S	5/2005	Ashida	

* cited by examiner

Primary Examiner—Prabhakar Deshmukh
Assistant Examiner—Derrick Holland

(**) Term: **14 Years**

(21) Appl. No.: **29/268,256**

(22) Filed: **Nov. 2, 2006**

(30) **Foreign Application Priority Data**

May 2, 2006 (JP) 2006-011520

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/110; D14/433**

(58) **Field of Classification Search** D13/110,
D13/133, 184; D14/433; 307/150, 151;
363/15, 16; 439/64; 463/46, 47
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D225,109 S * 11/1972 Flider D13/119

(57) **CLAIM**

The ornamental design for an AC adaptor for electronic game machine, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left perspective view of an AC adaptor for electronic game machine showing our new design;

FIG. 2 is a rear, bottom and right perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a left side view thereof; and,

FIG. 8 is a right side view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

