

US00D559346S

(12) United States Design Patent (10) Patent No.:

Early, IV

(10) I attill 190.. (45) Data of Datant

US D559,346 S

(45) Date of Patent:

** Jan. 8, 2008

(54) RIFLE STOCK RETAINING BRACKET

(76) Inventor: Ulysses S. G. Early, IV, 2121 Natomas

Crossing Dr., Suite 200-337, Sacramento, CA (US) 95835

(**) Term: 14 Years

(21) Appl. No.: 29/280,190

(22) Filed: May 19, 2007

(52) U.S. Cl. D22/108

248/200, 205.1; 89/154–156, 191.01, 191.02, 89/192, 37.11, 1.1

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

5,900,577 A * 5/1999 Robinson et al. 89/191.01 2007/0199435 A1* 8/2007 Hochstrate et al. 89/191.02

* cited by examiner

Primary Examiner—Charles A. Rademaker Assistant Examiner—Melanie Levy

(74) Attorney, Agent, or Firm—John P. Costello


(57) CLAIM


The ornamental design for a rifle stock retaining bracket, as shown and described.

DESCRIPTION

- FIG. 1 is a perspective view of the rifle stock retaining bracket of the present invention;
- FIG. 2 is a top plan view of the rifle stock retaining bracket;
- FIG. 3 is a side view of the rifle stock retaining bracket as seen from the left side;
- FIG. 4 is a bottom plan view of the rifle stock retaining bracket;
- FIG. 5 is a side view of the rifle stock retaining bracket as seen from the right side;
- FIG. 6 is a rear view of the rifle stock retaining bracket;
- FIG. 7 is a front view of the rifle stock retaining bracket; and,
- FIG. 8 is a right side view of the rifle stock retaining bracket shown in its environment mounted to an AR-15 style rifle. The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets





Jan. 8, 2008

