



(12) **United States Design Patent**
Galeazzi

(10) **Patent No.:** **US D559,369 S**
(45) **Date of Patent:** **** Jan. 8, 2008**

(54) **COVER FOR VEHICLE ROOFTOP AIR-CONDITIONING DEVICES**

- (75) Inventor: **Giuliano Galeazzi**, Varese (IT)
- (73) Assignee: **Carrier Corporation**, Farmington, CT (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/272,513**
- (22) Filed: **Feb. 9, 2007**

Related U.S. Application Data

- (62) Division of application No. 29/225,524, filed on Mar. 17, 2005, now abandoned.

Foreign Application Priority Data

- (30) Sep. 21, 2004 (EM) 000233275

- (51) **LOC (8) Cl.** **23-01**
- (52) **U.S. Cl.** **D23/326**
- (58) **Field of Classification Search** D23/324-325; 454/136, 151, 143-146; 62/244, DIG. 16
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- D284,025 S * 5/1986 Armstrong D23/325
(Continued)

Primary Examiner—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Hanley, Flight & Zimmerman, LLC

CLAIM

The ornamental design for a cover for vehicle rooftop air-conditioning devices, as shown.


DESCRIPTION

FIG. 1 is a left, front perspective view of an example cover for a vehicle rooftop air conditioning device constructed in accordance with the teachings of the invention.

FIG. 2 is a front view of the example cover of FIG. 1.
 FIG. 3 is a top view of the example cover of FIG. 1.
 FIG. 4 is a left side view of the example cover of FIG. 1.
 FIG. 5 is a right side view of the example cover of FIG. 1.
 FIG. 6 is a left, rear perspective view of another example cover for a vehicle rooftop air conditioning device constructed in accordance with the teachings of the invention.
 FIG. 7 is a top view of the example cover of FIG. 6.
 FIG. 8 is a left side view of the example cover of FIG. 6.
 FIG. 9 is a right side view of the example cover of FIG. 6.
 FIG. 10 is a rear view of the example cover of FIG. 6.
 FIG. 11 is a left, front perspective view of another example cover for a vehicle rooftop air conditioning device constructed in accordance with the teachings of the invention.
 FIG. 12 is a front view of the example cover of FIG. 11.
 FIG. 13 is a top view of the example cover of FIG. 11.
 FIG. 14 is a left side view of the example cover of FIG. 11.
 FIG. 15 is a right side view of the example cover of FIG. 11.
 FIG. 16 is a left, front perspective view of another example cover for a vehicle rooftop air conditioning device constructed in accordance with the teachings of the invention.
 FIG. 17 is a front view of the example cover of FIG. 16.
 FIG. 18 is a top view of the example cover of FIG. 16.
 FIG. 19 is a left side view of the example cover of FIG. 16.
 FIG. 20 is a right side view of the example cover of FIG. 16.
 FIG. 21 is a left, rear perspective view of another example cover for a vehicle rooftop air conditioning device constructed in accordance with the teachings of the invention.
 FIG. 22 is a top view of the example cover of FIG. 21.
 FIG. 23 is a left side view of the example cover of FIG. 21.
 FIG. 24 is a right side view of the example cover of FIG. 21; and,
 FIG. 25 is a rear view of the example cover of FIG. 21.

The features shown in broken lines are for illustrative purposes only and do not form part of the claimed designs.

1 Claim, 17 Drawing Sheets



US D559,369 S

Page 2

U.S. PATENT DOCUMENTS

D306,341 S *	2/1990	Bales et al.	D23/325	
D367,524 S *	2/1996	Waldschmidt et al.	D23/325	
				* cited by examiner
D435,639 S *	12/2000	Slavonia et al.	D23/325	
D495,041 S *	8/2004	Thomas	D23/325	




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14





Fig. 15




Fig. 16



Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 559,369 S
APPLICATION NO. : 29/272513
DATED : January 8, 2008
INVENTOR(S) : Galeazzi

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Pg, Item (62)

Related U.S. Application Data should state:

--Division of application No. 29/225,524, filed on Mar. 17, 2005.--

Signed and Sealed this

Fourteenth Day of October, 2008

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS
Director of the United States Patent and Trademark Office