



US00D559914S

(12) **United States Design Patent**
Eskandry

(10) **Patent No.:** **US D559,914 S**
(45) **Date of Patent:** **** Jan. 15, 2008**

(54) **FLEXIBLE SHEET SIGN SUBSTRATE WITH SPRING LOOP SUPPORT**

(74) *Attorney, Agent, or Firm*—Robert C. Kain, Jr.; Fleit Kain

(76) **Inventor:** **Ezra D. Eskandry**, 3802 NE. 207th St., TH-5, Aventura, FL (US) 33180

(57) **CLAIM**

(**) **Term:** **14 Years**

I claim the ornamental design for the flexible sheet sign substrate with spring loop support, as shown and described.

(21) **Appl. No.:** **29/244,762**

(22) **Filed:** **Dec. 14, 2005**

DESCRIPTION

(51) **LOC (8) Cl.** **20-03**

(52) **U.S. Cl.** **D20/10**

(58) **Field of Classification Search** D20/10, D20/22, 28, 40, 42, 99; 40/124.01, 299.01, 40/539, 584, 603, 610; 283/56, 81; D6/582, D6/583, 595, 596, 603, 608, 609; 5/417, 5/420, 462, 495; 428/64.1, 76, 88; 401/6-8, 401/201, 261; 15/208, 209.1, 215, 244.1; D16/241; D12/183, 203; 220/9.2; 135/88.1; 160/351, 377, 370.21; 296/97.1, 97.8, 136.13
See application file for complete search history.

FIG. 1 is a front view of the flexible sheet sign substrate with spring loop support in a fully deployed state.

FIG. 2 is a rear view of the flexible sheet sign substrate in a fully deployed state.

FIG. 3 is a top view of the flexible sheet sign substrate in a fully deployed state.

FIG. 4 is a bottom view of the flexible sheet sign substrate in a fully deployed state.

FIG. 5 is a right side view of the flexible sheet sign substrate in a fully deployed state (the left side view being a mirror image of the right side view).

FIG. 6 is a front view of the flexible sheet sign substrate with spring loop support in an alternate collapsed state.

FIG. 7 is a top view of the flexible sheet sign substrate in a collapsed state.

FIG. 8 is a rear view of the flexible sheet sign substrate in a collapsed state.

FIG. 9 is a bottom view of the flexible sheet sign substrate in a collapsed state.

FIG. 10 is a right side view of the flexible sheet sign substrate in a collapsed state; and,

FIG. 11 is a left side view of the flexible sheet sign substrate in a collapsed state.

In the drawings, the broken lines represent stitching forming part of the claimed design.

(56) **References Cited**


U.S. PATENT DOCUMENTS

5,056,172	A *	10/1991	Kaiser et al.	5/417
5,059,463	A *	10/1991	Peters	428/64.1
5,116,273	A *	5/1992	Chan	160/370.21
D359,075	S *	6/1995	Cattin	D20/10
5,553,908	A *	9/1996	Shink	296/97.8
5,927,793	A *	7/1999	McGrath, Jr.	296/136.13
6,170,100	B1 *	1/2001	Le Gette et al.	5/417
6,408,461	B2 *	6/2002	Zheng	5/417
D492,954	S *	7/2004	Silvester	D16/241
D537,764	S *	3/2007	Eskandry	D12/183
D538,725	S *	3/2007	Eskandry	D12/203
2007/0000532	A1 *	1/2007	Varjabedian	135/88.01
2007/0084097	A1 *	4/2007	Lopez	40/603

* cited by examiner

Primary Examiner—Robert M. Spear
Assistant Examiner—Mary Ann Calabrese

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 5



FIG. 3




FIG. 4




FIG. 7




FIG. 6




FIG. 9




FIG. 8




FIG. 10




FIG. 11