

US00D559979S

(12) **United States Design Patent**
Suematsu et al.

(10) **Patent No.:** **US D559,979 S**
(45) **Date of Patent:** **** Jan. 15, 2008**

(54) **BLOOD VESSEL HOLDING DEVICE**

7,150,742 B2 * 12/2006 Takamoto et al. 606/1

(75) Inventors: **Yoshihiro Suematsu**, Nagoya (JP);
Hiroaki Tanabe, Tokyo (JP); **Hideaki**
Kataoka, Osaka (JP); **Katsuya**
Miyagawa, Osaka (JP); **Akifumi**
Yoneda, Osaka (JP)

FOREIGN PATENT DOCUMENTS

EP 1 415 597 A1 5/2004
JP 2002-360593 A 12/2002

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Christopher Lee

(74) *Attorney, Agent, or Firm*—Birch, Stewart, Kolasch &
Birch, LLP

(73) Assignee: **Nipro Corporation**, Osaka-Shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/254,091**

(22) Filed: **Feb. 17, 2006**

(30) **Foreign Application Priority Data**

Oct. 24, 2005 (JP) D2005-031045

(51) **LOC (8) Cl.** **24-02**

(52) **U.S. Cl.** **D24/133**

(58) **Field of Classification Search** D24/133,
D24/143–148; 600/564; 604/8; 606/1,
606/148, 150, 151, 167, 205

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,854,318 A * 8/1989 Solem et al. 606/151
5,053,041 A * 10/1991 Ansari et al. 606/148
D446,581 S * 8/2001 Petersvik D24/145
D492,776 S * 7/2004 Nilsson D24/133

(57) **CLAIM**

The ornamental design for a blood vessel holding device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a blood vessel holding device;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The portion shown by broken lines is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7

