

US00D560067S

(12) **United States Design Patent** (10) **Patent No.:** **US D560,067 S**  
**Stein** (45) **Date of Patent:** **\*\* Jan. 22, 2008**

(54) **FINDERS KEY APPARATUS**

4,587,818 A 5/1986 Griffin  
D288,984 S 3/1987 Scheurer et al.  
4,665,594 A 5/1987 Wagner

(76) Inventor: **Sandra Stein**, 24734 Stonegate Dr.,  
West Hills, CA (US) 91304

(Continued)

(\*\*) Term: **14 Years**

**FOREIGN PATENT DOCUMENTS**

(21) Appl. No.: **29/285,165**

FR 2606258 A1 5/1988

(22) Filed: **Mar. 22, 2007**

(Continued)

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/211; D21/604**

(58) **Field of Classification Search** ..... D3/207-212;  
206/37.1, 38.1; 150/147; 70/456 R, 456 B,  
70/458-459; 24/3 K, 3.6, 100; D11/44,  
D11/48; D21/604-605

**OTHER PUBLICATIONS**

U.S. Appl. No. 10/919,494, filed Aug. 17, 2004, Stein.  
Mississippi Quarter from the United States Mint, issued 2002.

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Jones Day; Brett Lovejoy

See application file for complete search history.

(57) **CLAIM**

(56) **References Cited**

The ornamental design for a finders key apparatus, as shown and described.

**U.S. PATENT DOCUMENTS**

**DESCRIPTION**

|              |         |                    |               |
|--------------|---------|--------------------|---------------|
| 1,106,388 A  | 8/1914  | Juergens           |               |
| 1,165,882 A  | 12/1915 | Killion            |               |
| 2,117,989 A  | 5/1938  | Ryan               |               |
| 2,218,932 A  | 10/1940 | Collins            |               |
| 2,224,972 A  | 12/1940 | Long, Jr. et al.   |               |
| D137,972 S * | 5/1944  | Sarajer            | ..... D21/604 |
| 3,016,224 A  | 1/1962  | Hall               |               |
| 3,071,938 A  | 1/1963  | Davidson           |               |
| 3,670,524 A  | 6/1972  | Korwin             |               |
| 3,707,742 A  | 1/1973  | Justice et al.     |               |
| 3,934,317 A  | 1/1976  | Langwell           |               |
| 4,004,325 A  | 1/1977  | Hubachek           |               |
| 4,113,156 A  | 9/1978  | Brito              |               |
| 4,201,259 A  | 5/1980  | Alsdorf            |               |
| 4,221,118 A  | 9/1980  | Chicckine          |               |
| 4,226,105 A  | 10/1980 | Wehrman            |               |
| 4,282,733 A  | 8/1981  | Schmitt (Johnston) |               |
| 4,319,384 A  | 3/1982  | Horne              |               |
| 4,407,148 A  | 10/1983 | Rousseau           |               |
| 4,430,778 A  | 2/1984  | Sander             |               |
| 4,516,418 A  | 5/1985  | Cuttler            |               |
| 4,523,443 A  | 6/1985  | Momemers           |               |
| 4,576,839 A  | 3/1986  | Parren             |               |

FIG. 1 is a left front perspective view of an ornamental design for a finders key apparatus according to a first embodiment of the present invention;

FIG. 2 is a front view thereof according to a first embodiment of the present invention;

FIG. 3 is a rear view thereof according to a first embodiment of the present invention;


FIG. 4 is a left side view thereof according to a first embodiment of the present invention;

FIG. 5 is a top view thereof according to a first embodiment of the present invention;

FIG. 6 is a bottom view thereof according to a first embodiment of the present invention; and,

FIG. 7 is a left front perspective view thereof according to a first embodiment of the present invention shown in an alternate position.

**1 Claim, 6 Drawing Sheets**



# US D560,067 S

Page 2

## U.S. PATENT DOCUMENTS

D308,294 S 6/1990 Krassner  
D309,830 S 8/1990 Kraus  
D311,451 S 10/1990 Chan  
D312,172 S 11/1990 Ambrosio  
4,976,124 A 12/1990 Sanders  
5,048,310 A 9/1991 Riley  
5,078,484 A 1/1992 Vaughn  
5,312,029 A 5/1994 Tuber  
5,359,870 A 11/1994 Reutlinger  
D353,261 S 12/1994 Fort et al.  
D366,359 S 1/1996 Riedl  
D371,325 S 7/1996 Fritsche  
5,535,797 A 7/1996 Martindale  
5,551,269 A 9/1996 Lewinstein et al.  
D383,304 S 9/1997 Van Osch  
D385,415 S 10/1997 Turbide  
D392,201 S 3/1998 Chen  
5,729,870 A 3/1998 Sharp  
5,768,915 A 6/1998 Crumrine et al.  
D396,552 S 8/1998 Browne  
D398,775 S 9/1998 Fritsche  
D403,500 S 1/1999 Winter  
D403,501 S 1/1999 Winter  
D403,502 S 1/1999 Winter  
5,983,686 A 11/1999 Lee  
D440,399 S 4/2001 DeRouen et al.  
D441,184 S 5/2001 Haapala  
6,318,610 B1 11/2001 Doherty  
D452,536 S \* 12/2001 Chilton ..... D21/605  
6,334,239 B1 1/2002 Kraut

D468,091 S 1/2003 Tipton  
6,536,081 B2 3/2003 Allen et al.  
6,591,646 B1 7/2003 Huang  
D478,719 S 8/2003 Mercuri  
6,606,769 B1 8/2003 Harris  
D479,768 S 9/2003 Macevicz  
D484,306 S 12/2003 Lau  
6,772,614 B1 8/2004 Cheng  
6,843,086 B2 1/2005 Fitch  
6,870,483 B1 3/2005 Davis  
D503,850 S 4/2005 Staab  
D504,222 S 4/2005 Kieffer  
6,928,943 B1 8/2005 Neubauer  
D510,185 S 10/2005 Chan  
7,021,852 B1 4/2006 Turner, III et al.  
D539,526 S \* 4/2007 Stein ..... D3/207  
2003/0200687 A1 10/2003 Wolfe  
2003/0200779 A1 10/2003 Fitch  
2004/0020813 A1 2/2004 Moeller et al.  
2005/0208848 A1 9/2005 Grossman  
2005/0257867 A1 11/2005 Vazin  
2006/0048343 A1 3/2006 Sinon  
2006/0090302 A1 5/2006 Colby

## FOREIGN PATENT DOCUMENTS

GB 2180137 A 3/1987  
GB 2274236 A 7/1994  
GB 2275173 A 8/1994  
JP 2003 174913 A 6/2007

\* cited by examiner




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7