US00D560533S

(12) **United States Design Patent** (10) **Patent No.: US D560,533 S**
Dueker et al. (45) **Date of Patent: ** Jan. 29, 2008**

(54) **ILLUMINATED SIGNALING DEVICE**

(75) Inventors: **Kenneth S. Dueker**, Atherton, CA (US); **Paul M. Hagelin**, Saratoga, CA (US); **Troy J. Edwards**, Campbell, CA (US); **Russell E. Tavernetti**, San Carlos, CA (US)

(73) Assignee: **Powerflare Corporation**, Menlo Park, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/236,607**

(22) Filed: **Aug. 18, 2005**

(51) **LOC (8) Cl.** **10-05**
(52) **U.S. Cl.** **D10/109**
(58) **Field of Classification Search** D10/104–121; D26/72, 85; 362/253, 806, 364, 158, 157, 362/108, 103, 40, 414, 431, 183–208; 340/815, 340/432, 908.1, 815.03, 760, 761, 767, 782, 340/471, 473; D9/453
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,390,653	B1 *	5/2002	Schrewe	362/374
D458,138	S *	6/2002	Fuchs	D9/453
6,491,413	B1 *	12/2002	Benesohn	362/294
2002/0180616	A1 *	12/2002	Laidman	340/908.1
2003/0058644	A1 *	3/2003	Syymonds	362/252
2006/0250789	A1 *	11/2006	Coushaine	362/157

* cited by examiner

Primary Examiner—Robert M. Spear
Assistant Examiner—George D Kirschbaum
(74) *Attorney, Agent, or Firm*—Sawyer Law Group LLP

(57) **CLAIM**

The ornamental design for an illuminated signaling device, as shown.

DESCRIPTION

FIG. **1** is a top isometric view of our illuminated signaling device;

FIG. **2** is a bottom isometric view thereof;

FIG. **3** is a top view thereof;

FIG. **4** is a bottom view thereof;

FIG. **5** is a front view thereof;

FIG. **6** is a back view thereof;

FIG. **7** is a left view thereof; and,

FIG. **8** is a right view thereof.

The broken lines in the drawings represent unclaimed subject matter.

1 Claim, 4 Drawing Sheets









FIG. 1



FIG. 2



FIG. 3



FIG. 5



FIG. 4



FIG. 6



FIG. 7



FIG. 8