



US00D560551S

(12) **United States Design Patent**  
**Uehara**

(10) **Patent No.:** **US D560,551 S**  
(45) **Date of Patent:** **\*\* Jan. 29, 2008**

(54) **BUCKLE**

(57) **CLAIM**

(75) Inventor: **Ryoichiro Uehara**, Kurobe (JP)

The ornamental design for a buckle, as shown and described.

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/261,195**

(22) Filed: **Jun. 9, 2006**

(30) **Foreign Application Priority Data**

Dec. 26, 2005 (JP) ..... 2005-037935

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Classification Search** ..... D11/200,  
D11/201, 208–210, 212–218, 220, 230–234,  
D11/236, 237, 86–87, 94; 24/307, 625, 616,  
24/200, 196, 637, 171, 169, 112, 614, 615,  
24/591.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D509,167 S \* 9/2005 Yoshiguchi ..... D11/216  
D519,878 S \* 5/2006 Anscher ..... D11/216  
D524,693 S \* 7/2006 Uehara et al. .... D11/216  
D536,641 S \* 2/2007 Yang ..... D11/216

**FOREIGN PATENT DOCUMENTS**

JP 1241312 6/2005  
JP 1242530 6/2005

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Everest Intellectual Property  
Law Group; Michael S. Leonard

**DESCRIPTION**

FIG. 1 is a front view of a buckle of the claimed design.  
FIG. 2 is a rear view of the buckle of FIG. 1.  
FIG. 3 is a plan view of the buckle of FIG. 1.  
FIG. 4 is a base view of the buckle of FIG. 1.  
FIG. 5 is a right side view of the buckle of FIG. 1.  
FIG. 6 is a front view of a male member of the buckle of FIG. 1.  
FIG. 7 is a rear view of the male member of FIG. 6.  
FIG. 8 is a plan view of the male member of FIG. 6.  
FIG. 9 is a base view of the male member of FIG. 6.  
FIG. 10 is a right side view of the male member of FIG. 6.  
FIG. 11 is a front view of a female member of the buckle of FIG. 1.  
FIG. 12 is a rear view of the female member of FIG. 11.  
FIG. 13 is a plan view of the female member of FIG. 11.  
FIG. 14 is a base view of the female member of FIG. 11.  
FIG. 15 is a right side view of the female member of FIG. 11.  
FIG. 16 is a front view of a back sheet of the buckle of FIG. 1.  
FIG. 17 is a rear view of the back sheet of FIG. 16.  
FIG. 18 is a plan view of the back sheet of FIG. 16.  
FIG. 19 is a base view of the back sheet of FIG. 16.  
FIG. 20 is a right side view of the back sheet of FIG. 16; and,  
FIG. 21 is a perspective view of the buckle of FIG. 1.

**1 Claim, 9 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3





FIG. 4



# FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9



# FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14





# FIG. 15




FIG. 16




FIG. 17





FIG. 18




FIG. 19





# FIG. 20



# FIG. 21

