

US00D560599S

(12) **United States Design Patent** (10) **Patent No.:** **US D560,599 S**
Dixon et al. (45) **Date of Patent:** **** Jan. 29, 2008**

(54) **TIRE TREAD**

(75) Inventors: **Max Harold Dixon**, Kent, OH (US);
Theresa Marie Nopper, Macedonia,
OH (US); **Joseph Thomas Janesh**,
Tallmadge, OH (US)

(73) Assignee: **The Goodyear Tire & Rubber
Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/271,430**

(22) Filed: **Jan. 18, 2007**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/587; D12/588**

(58) **Field of Classification Search** D12/515–518,
D12/547–550, 553, 568, 581–590, 603, 601;
152/209.1, 209.8–209.18, 209.25, 455, 209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D344,053 S	2/1994	Attinello et al.		D12/147	
D365,068 S	*	12/1995	Kotanides et al.		D12/589
D381,944 S	*	8/1997	Regallis et al.		D12/588
D385,241 S	*	10/1997	Attinello et al.		D12/588
D397,975 S	*	9/1998	Himuro		D12/588
D398,890 S	*	9/1998	Harpes et al.		D12/586
D415,451 S	*	10/1999	Weber et al.		D12/586
D418,783 S	*	1/2000	Lassan et al.		D12/589
D436,900 S	*	1/2001	Buresh et al.		D12/588
D445,377 S	*	7/2001	Fantanzo et al.		D12/589
D470,101 S	*	2/2003	Heinen		D12/584

D473,514 S	*	4/2003	Hitzky et al.		D12/590
D475,344 S	*	6/2003	Tsubono		D12/603
D479,188 S	*	9/2003	Hutz et al.		D12/603
D480,352 S		10/2003	Dixon et al.		D12/601
D481,352 S	*	10/2003	Hutz et al.		D12/588
D483,006 S		12/2003	Brayer et al.		D12/551
D500,984 S	*	1/2005	Allison et al.		D12/588
D503,145 S	*	3/2005	Labbe et al.		D12/588
D531,113 S	*	10/2006	Dixon et al.		D12/587
D535,611 S	*	1/2007	Sundkvist et al.		D12/588

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O’Planick

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4