

US00D560676S

(12) **United States Design Patent** (10) **Patent No.:** **US D560,676 S**  
**Wohlford et al.** (45) **Date of Patent:** **\*\* Jan. 29, 2008**

(54) **TILT ADJUSTABLE DISPLAY MOUNT**

2007/0176067 A1\* 8/2007 Monaco ..... 248/284.1

(75) Inventors: **Jim Wohlford**, Savage, MN (US);  
**Steven Durkee**, Savage, MN (US);  
**Nathan Bohl**, Savage, MN (US)

**OTHER PUBLICATIONS**

Chief Manufacturing Inc. Full Line Catalog, *Mounting Solutions Product Guide*, Jun. 2006.

(73) Assignee: **CSAV, Inc.**, Savage, MN (US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Cathron Brooks

*Assistant Examiner*—Angela J Lee

(21) Appl. No.: **29/268,148**

(74) *Attorney, Agent, or Firm*—Patterson, Thuente, Skaar & Christensen, PA

(22) Filed: **Oct. 31, 2006**

(57) **CLAIM**

(51) **LOC (8) Cl.** ..... **14-03**

The ornamental design for a tilt adjustable display mount, as shown and described.

(52) **U.S. Cl.** ..... **D14/451**

(58) **Field of Classification Search** ..... D14/129,  
D14/209, 217, 224, 237, 238, 239, 432, 439,  
D14/447, 448, 451, 452; D6/449, 513; D8/349,  
D8/354, 355, 363, 373, 380, 387, 388, 389;  
D16/235, 242; 248/176.1, 201, 205.1, 220.21,  
248/223.31, 231.9, 274.1, 276.1, 281.11,  
248/284.1, 286.1, 309.1, 323, 324, 349.1,  
248/371, 398, 425, 638, 917, 918, 919, 920,  
248/921, 922, 923, 924; 348/825, 827, 836  
See application file for complete search history.

**DESCRIPTION**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,974,918 A \* 3/1961 Voigtlander ..... 248/201
- 4,943,022 A \* 7/1990 Rinderer ..... 248/205.1
- D494,978 S \* 8/2004 Pfister ..... D14/451
- D495,713 S \* 9/2004 Pfister et al. .... D14/451
- 7,175,152 B2 \* 2/2007 Dittmer ..... 248/221.11
- 2004/0232298 A1 \* 11/2004 Bremmon et al. .... 248/281.11
- 2007/0120030 A1 \* 5/2007 Dittmer ..... 248/221.11
- 2007/0170336 A1 \* 7/2007 Li ..... 248/324

FIG. 1 is a front perspective view of a tilt adjustable display mount;

FIG. 2 is a front elevation view of the tilt adjustable display mount depicted in FIG. 1;

FIG. 3 is a rear elevation view of the tilt adjustable display mount depicted in FIG. 1;


FIG. 4 is a bottom plan view of the tilt adjustable display mount depicted in FIG. 1;


FIG. 5 is a top plan view of the tilt adjustable display mount depicted in FIG. 1; and,

FIG. 6 is a side elevation view of the tilt adjustable display mount depicted in FIG. 1.


The opposing side elevation view although not depicted is a mirror image of the view of FIG. 6.

**1 Claim, 3 Drawing Sheets**







*Fig. 1.*




*Fig. 2.*




*Fig. 4.*



*Fig. 5.*



*Fig. 3.*



*Fig. 6.*