



US00D561206S

(12) **United States Design Patent**
Kitabayashi

(10) **Patent No.:** **US D561,206 S**

(45) **Date of Patent:** **** Feb. 5, 2008**

(54) **ELECTROSTATIC CHUCK**

(75) Inventor: **Tetsuo Kitabayashi**, Ito-machi (JP)

(73) Assignee: **Momentive Performance Materials Inc.**, Wilton, CT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/243,513**

(22) Filed: **Nov. 25, 2005**

(51) **LOC (8) Cl.** **15-09**

(52) **U.S. Cl.** **D15/140**

(58) **Field of Classification Search** D13/199;
D15/140; 269/8, 903; 279/128; 361/230,
361/233-235

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,213,349	A *	5/1993	Elliott	279/128
5,530,616	A *	6/1996	Kitabayashi et al.	361/234
6,028,762	A *	2/2000	Kamitani	361/234
D490,827	S *	6/2004	Okugawa	D15/140
D497,171	S *	10/2004	Okugawa	D15/140
2002/0027762	A1 *	3/2002	Yamaguchi	361/234

2003/0198004	A1 *	10/2003	Hiramatsu et al.	361/234
2004/0233609	A1 *	11/2004	Yoshida et al.	361/234
2006/0221539	A1 *	10/2006	Morita et al.	361/234

* cited by examiner

Primary Examiner—Antoine D. Davis

Assistant Examiner—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Dominick G. Vicari

(57) **CLAIM**

The ornamental design for an electrostatic chuck, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the top part of an electrostatic chuck.


FIG. 2 is a left side elevational view thereof.

FIG. 3 is a perspective view of the top part of the electrostatic chuck; and,

FIG. 4 is a front side elevational view thereof, wherein the shaded (grey) area showing the extension of the electrode.

The broken line showing of the electrostatic chuck is included for the purpose of illustrating the bounds of the claimed design and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4