



US00D561264S

(12) **United States Design Patent** (10) **Patent No.:** **US D561,264 S**  
**Yu** (45) **Date of Patent:** **\*\* Feb. 5, 2008**

(54) **ILLUMINATED SIGN**  
(75) Inventor: **Robert Yu**, Brookfield, CT (US)  
(73) Assignee: **Astralite, Inc.**, Brookfield, CT (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/267,569**  
(22) Filed: **Oct. 17, 2006**

(51) **LOC (8) Cl.** ..... **20-03**  
(52) **U.S. Cl.** ..... **D20/42; D20/19**  
(58) **Field of Classification Search** ..... D20/10,  
D20/19, 27, 41-42, 99; 40/204, 205, 442,  
40/444, 541-545, 549, 553, 563, 564, 570,  
40/572, 574, 575, 578-581, 617, 624, 885;  
362/147, 198, 226, 234, 249, 370, 555, 612,  
362/614, 812; D10/109; D26/185; 340/326  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,402,494	A *	9/1968	Gray	.....	40/570
D238,827	S *	2/1976	Shine	.....	D20/42
5,018,290	A *	5/1991	Kozek et al.	.....	40/570
5,151,679	A *	9/1992	Dimmick	.....	340/326
5,461,550	A *	10/1995	Johnstone	.....	362/147
5,599,089	A *	2/1997	Sheu et al.	.....	362/198
D379,373	S	5/1997	Logan et al.	.....	D20/10
5,797,673	A	8/1998	Logan et al.	.....	362/234
D416,049	S *	11/1999	Hooley	.....	D20/10
6,105,291	A *	8/2000	Gabrius et al.	.....	40/572
6,142,648	A	11/2000	Logan et al.	.....	362/234
D446,818	S	8/2001	Kim	.....	D20/10
6,606,808	B2 *	8/2003	Katz	.....	40/570
D495,750	S *	9/2004	Lee	.....	D20/42

6,824,295	B1	11/2004	Grondal	.....	362/234
D500,814	S *	1/2005	Lee	.....	D20/42
D504,705	S *	5/2005	Gregory et al.	.....	D20/42
7,114,840	B2 *	10/2006	Hamrick	.....	362/613
2001/0045035	A1 *	11/2001	Katz	.....	40/570

\* cited by examiner

*Primary Examiner*—Robert M. Spear  
*Assistant Examiner*—Mary Ann Calabrese  
(74) *Attorney, Agent, or Firm*—Fattibene & Fattiber; Paul A. Fattibene; Arthur T. Fattibene


(57) **CLAIM**

The ornamental design for an illuminated sign, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of an illuminated sign showing the new design.  
FIG. 2 is a right end view thereof.  
FIG. 3 is a left end view thereof.  
FIG. 4 is a rear elevation view thereof.  
FIG. 5 is a top plan view thereof.  
FIG. 6 is a bottom plan view thereof.  
FIG. 7 is a front elevation view of the illuminated sign shown in an alternate position of use.  
FIG. 8 is a right end view thereof.  
FIG. 9 is a left end view thereof.  
FIG. 10 is a rear elevation view thereof.  
FIG. 11 is a top plan view thereof; and,  
FIG. 12 is a bottom plan view thereof.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2






FIG. 3



*FIG. 4*



*FIG. 5*




FIG. 6






FIG. 7



*FIG. 8*



*FIG. 9*




FIG. 10




FIG. 11




FIG. 12