

US00D561364S

(12) **United States Design Patent** (10) **Patent No.:** **US D561,364 S**
Hsu (45) **Date of Patent:** **** Feb. 5, 2008**

(54) **EXTERIOR SURFACE CONFIGURATION OF
A VEHICLE LIGHT**

D552,768 S * 10/2007 Leclercq D26/28

* cited by examiner

(76) Inventor: **Hong Ming Hsu**, No 152, Sec 2,
Funong St. East District, Tainan (TW)
701

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Alexander Chen, Esq.

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/291,890**

The ornamental design for an exterior surface configuration
of a vehicle light, as shown and described.

(22) Filed: **Sep. 18, 2007**

DESCRIPTION

(51) **LOC (8) Cl.** **26-06**

(52) **U.S. Cl.** **D26/28**

(58) **Field of Classification Search** D26/28–36;
362/459–468, 475–478, 485–487

See application file for complete search history.

FIG. 1 is perspective view from the front right of an exterior
surface configuration of a vehicle light. The drawings and
descriptions represent the right side embodiment. The
design also contemplates a mirror symmetrical embodiment
on the left side of the vehicle. The dash line included denotes
environment and is not part of the claimed design

(56) **References Cited**

U.S. PATENT DOCUMENTS

D535,764 S * 1/2007 Yamaguchi D26/28

D544,614 S * 6/2007 Markefka D26/28


D549,855 S * 8/2007 Moisy et al. D26/28

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right elevation view thereof; and,

FIG. 4 is a top view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1





FIG. 2






FIG. 4