



US00D561469S

(12) **United States Design Patent**  
**Jensen et al.**

(10) **Patent No.:** **US D561,469 S**  
(45) **Date of Patent:** **\*\* Feb. 12, 2008**

(54) **CARDHOLDER**

(75) Inventors: **Tom Geir Jensen**, Fyllingsdalen (NO);  
**Stein Sorlie**, Olsvik (NO)

(73) Assignee: **My Safe International AS**, Bergen  
(NO)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,345**

(22) Filed: **Sep. 19, 2006**

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/247**

(58) **Field of Classification Search** ..... D3/56-60,  
D3/201, 247-252, 263; 150/129, 131, 132,  
150/133, 135, 138, 140, 145, 147, 901; 190/124,  
190/125, 126, 127, 903

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D270,303 S *	8/1983	Zautner	.....	D3/226
D317,983 S *	7/1991	Gilbreath	.....	D3/247
D372,358 S *	8/1996	Mathison	.....	D3/247
D385,417 S *	10/1997	White et al.	.....	D3/249
D411,766 S *	7/1999	Elkington	.....	D3/250
D429,067 S *	8/2000	Kleinsmith	.....	D3/249
D429,068 S *	8/2000	Kleinsmith	.....	D3/249
D435,340 S *	12/2000	Kojoori	.....	D3/250
D436,252 S *	1/2001	Gribovsky	.....	D3/249
D436,724 S *	1/2001	Kojoori	.....	D3/249
D477,909 S *	8/2003	Harris	.....	D3/247
D551,446 S *	9/2007	Elnekaveh	.....	D3/249

\* cited by examiner

*Primary Examiner*—Joel A Sincavage

*Assistant Examiner*—Michelle E Wilson

(74) *Attorney, Agent, or Firm*—Schneck & Schneck;  
Thomas Schneck

(57) **CLAIM**

We claim the design for a cardholder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view with left orientation of slot of our new design of a cardholder;

FIG. 2 is a front view with right orientation of slot of design of FIG. 1;

FIG. 3 is a back view with upward orientation of slot of design of FIG. 1;

FIG. 4 is a back view with left orientation of slot of design of FIG. 4;

FIG. 5 is a front view with downward orientation of slot of design of FIG. 4;

FIG. 6 is a front oblique perspective view from below of design of FIG. 1;

FIG. 7 is a side perspective view of slot of design of FIG. 1;

FIG. 8 is a front perspective view of left orientation of slot of design of FIG. 1;



FIG. 9 is a front semi-oblique perspective view from below of design of FIG. 1;

FIG. 10 is a rear oblique perspective view of design of FIG. 1;

FIG. 11 is a rear perspective view with slot forward of design of FIG. 1; and,

FIG. 12 is a rear perspective view with clip forward of design of FIG. 1.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 4




Fig. 2




Fig. 5




Fig. 3




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12