



US00D561543S

(12) **United States Design Patent**  
**Callander**

(10) **Patent No.:** **US D561,543 S**

(45) **Date of Patent:** **\*\* \*Feb. 12, 2008**

(54) **TELESCOPIC TOOL WITH INTERCHANGEABLE END**

(75) Inventor: **Andrew Callander**, Port Douglas (AU)

(73) Assignee: **Collander Equipment Supplies**, Port Douglas (AU)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/224,785**

(22) Filed: **Mar. 7, 2005**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/14; D8/47**

(58) **Field of Classification Search** ..... D8/1, D8/14, 45, 47, 51, 52, 77, 88, 89; 144/193.1, 144/193.2, 195.7, 195.5; 173/90, 91; 100/65, 100/69; 404/133.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

947,548 A \* 1/1910 Lind ..... 404/133.1

(Continued)

**FOREIGN PATENT DOCUMENTS**

AU 133866 5/1998

*Primary Examiner*—Cathron Brooks

*Assistant Examiner*—Deanna Fluegeman

(74) *Attorney, Agent, or Firm*—Dinsmore & Shohl LLP

(57) **CLAIM**

The ornamental design for a telescopic tool with interchangeable end, as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of the telescopic tool in an extended condition with a first form of the interchangeable end being a point;

FIG. 2 is a partial side elevation view of the telescopic tool of FIG. 1;

FIG. 3 is a top plan view of the telescopic tool of FIG. 1;

FIG. 4 is an underneath plan view of the telescopic tool of FIG. 1;

FIG. 5 is a transverse cross-section view along the line 5—5 of FIG. 2;

FIG. 6 is an enlarged side elevation view of the end of the first form of the interchangeable end;

FIG. 7 is a side perspective view of the telescopic tool of FIG. 1 in a partially extended condition;

FIG. 8 is a side perspective view of the telescopic tool of FIG. 1 in a fully extended condition;

FIG. 9 is a partial fragmentary view of the telescopic tool of FIG. 1 showing the handle separated from the interchangeable end;

FIG. 10 is a side perspective view of a second form of the interchangeable end in the form of a square plate with the telescopic tool in an extended condition;

FIG. 11 is a partial side view of the telescopic tool of FIG. 10;

FIG. 12 is a top plan view of the telescopic tool of FIG. 1;

FIG. 13 is an underneath plan view of the telescopic tool of FIG. 1;

FIG. 14 is a transverse cross-section view along the line 14—14 of FIG. 11;


FIG. 15 is an enlarged side elevation view of the end of the second form of the interchangeable end;

FIG. 16 is a side perspective view of the telescopic tool of FIG. 10 in a partially extended condition;

FIG. 17 is a side perspective view of the telescopic tool of FIG. 1 in a fully extended condition; and,

FIG. 18 is a partial fragmentary view of the telescopic tool of FIG. 10 showing the handle separated from the interchangeable end.

**1 Claim, 5 Drawing Sheets**



# US D561,543 S

Page 2

## U.S. PATENT DOCUMENTS

981,517 A *	1/1911	Andrews .....	404/133.1	4,577,667 A	3/1986	Gray et al.	
1,007,536 A *	10/1911	Cooley .....	404/133.1	D287,565 S *	1/1987	Merritt .....	D8/14
1,019,742 A *	3/1912	Boyle .....	404/133.1	D290,219 S *	6/1987	Boone .....	D8/45
1,085,505 A *	1/1914	Staford .....	404/133.1	D304,892 S *	12/1989	Bevilacqua .....	D7/669
1,096,445 A *	5/1914	McKesson .....	404/133.1	D326,213 S *	5/1992	Freilich .....	D8/82
2,020,571 A *	11/1935	Pick .....	172/21	5,495,878 A	3/1996	McKenen, Jr.	
2,234,831 A *	3/1941	Porter .....	404/133.1	D447,025 S *	8/2001	Hughes .....	D8/1
2,841,061 A *	7/1958	Starr .....	404/133.1	D462,588 S *	9/2002	Kisby .....	D8/14
3,036,482 A *	5/1962	Kenworthy et al. ....	173/90	D473,113 S *	4/2003	Gelb et al. ....	D8/1
4,308,903 A	1/1982	Alloway		D487,559 S *	3/2004	Callander .....	D8/47
4,350,192 A	9/1982	Dent		6,769,182 B1 *	8/2004	McCabe .....	30/164.6
4,405,005 A	9/1983	Zanker		D495,567 S *	9/2004	Gontar .....	D8/1
D271,022 S *	10/1983	Legerius et al. ....	D15/139	D511,003 S *	10/2005	Sliwa, Jr. ....	D24/147
4,431,040 A	2/1984	Friedrich et al.		2003/0235470 A1 *	12/2003	Gelb et al. ....	404/133.1
4,470,440 A	9/1984	Thor					

\* cited by examiner




FIGURE 1




FIGURE 2

5 ——— 5




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7

FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16




FIGURE 17




FIGURE 18

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 561,543 S  
APPLICATION NO. : 29/224785  
DATED : February 12, 2008  
INVENTOR(S) : Callander

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page, Item “(73) Assignee: Collander Equipment Supplies” should read  
-- (73) Assignee: Callander Equipment Supplies --

Signed and Sealed this

Twenty-fourth Day of June, 2008

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, looped initial "J".

JON W. DUDAS  
*Director of the United States Patent and Trademark Office*