



US00D561617S

(12) **United States Design Patent**
Ishii

(10) **Patent No.:** **US D561,617 S**
(45) **Date of Patent:** **** Feb. 12, 2008**

(54) **HOUSING FOR A WIRELESS RECEIVER**

(75) Inventor: **Mitsuo Ishii**, Tokyo (JP)

(73) Assignee: **Kabushiki Kaisha Topcon**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/251,988**

(22) Filed: **Jan. 18, 2006**

(30) **Foreign Application Priority Data**

Jul. 22, 2005 (JP) 2005-021356

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/65**

(58) **Field of Classification Search** D10/65;
340/539.13, 995.1; 342/357.13, 357.06–357.09,
342/357.1; 343/702; 455/566, 575.1, 150.1,
455/151.3, 90.1, 12.1, 456.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D366,220 S * 1/1996 Sakamoto D10/65
- 6,418,309 B1 * 7/2002 Moon et al. 455/418
- D467,511 S * 12/2002 Kitamura et al. D10/65
- 6,501,429 B2 * 12/2002 Nakamura et al. 343/702
- D469,367 S * 1/2003 Mirabelli et al. D10/65
- D487,023 S * 2/2004 Takahashi D10/65
- 6,781,551 B2 * 8/2004 Gerber 343/702
- 6,876,871 B2 * 4/2005 Hirayama et al. 455/566
- 6,912,463 B2 * 6/2005 Miwa 701/213
- D506,937 S * 7/2005 Lee et al. D10/65
- D508,213 S * 8/2005 Silzer D10/65

- D509,760 S * 9/2005 Burrell et al. D10/65
- 6,977,617 B2 * 12/2005 Asano et al. 343/702
- D515,441 S * 2/2006 Shindo D10/65
- D517,932 S * 3/2006 Lum D10/65
- 7,054,670 B2 * 5/2006 Wang et al. 455/566

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Jacobson Holman PLLC

(57) **CLAIM**

The ornamental design for a housing for a wireless receiver, as shown.

DESCRIPTION

FIG. 1 is a front view of a housing for a wireless receiver according to my new design;

FIG. 2 is a rear view of the housing for a wireless receiver of FIG. 1;

FIG. 3 is a left side view of the housing for a wireless receiver of FIG. 1;

FIG. 4 is a right side view of the housing for a wireless receiver of FIG. 1;

FIG. 5 is a plan view of the housing for a wireless receiver of FIG. 1;

FIG. 6 is a bottom view of the housing for a wireless receiver of FIG. 1;

FIG. 7 is a perspective view from the front, right, and upper side of the housing for a wireless receiver of FIG. 1; and,

FIG. 8 is a perspective view from the rear, left, and upper side of the housing for a wireless receiver of FIG. 1.

1 Claim, 4 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

