

US00D562017S

(12) **United States Design Patent**
Brewer et al.

(10) **Patent No.: US D562,017 S**

(45) **Date of Patent: ** Feb. 19, 2008**

(54) **PRAYER KNEELER WITH CONTOURED, PADDED, BODY SUPPORT SURFACE**

(75) Inventors: **Keith Reginald Brewer**, Fairview Heights, IL (US); **Betty Jean Brewer**, Fairview Heights, IL (US)

(73) Assignee: **Keith & Betty Brewer**, Fairview Heights, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/240,622**

(22) Filed: **Oct. 14, 2005**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/349**

(58) **Field of Classification Search** D6/332, D6/335-337, 340, 349, 355, 352-353, 369-370, D6/381, 495, 499-502; 5/12.1; 108/118, 108/119, 137; 297/16.1-16.2, 451.9, 452.11, 297/452.63, 217.1, 31, 175, 423.1, 423.16, 297/461, 232, 187; D23/295, 296
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 689,295 A * 12/1901 Dugan 297/187
- 1,712,863 A * 5/1929 Wickstrum 297/187
- 2,693,846 A * 11/1954 Luttio 297/105

- 3,120,410 A * 2/1964 Berg 312/33
- 3,680,917 A * 8/1972 Harris 297/452.41
- 3,976,155 A * 8/1976 Esch 280/32.5
- 4,027,888 A * 6/1977 Wilcox 297/452.17
- D245,298 S * 8/1977 Brahm D6/334
- 4,092,049 A * 5/1978 Schoblom 297/440.23
- D274,576 S * 7/1984 Tiffany D6/335
- D372,805 S * 8/1996 Bonaddio et al. D6/375
- D497,727 S * 11/2004 Monsalve et al. D6/355
- D503,855 S * 4/2005 Best D6/335

* cited by examiner

Primary Examiner—Sandra Snapp

(57) **CLAIM**

The ornamental design for a prayer kneeler with contoured, padded, body support surface, as shown and described.

DESCRIPTION


FIG. 1 is a front perspective view of our new design with padded body support surface shown;

FIG. 2 is a front perspective view with the padded body support surface removed for ease of illustration; and,

FIG. 3 is a rear perspective view with the padded body support shown.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3