



US00D562371S

(12) **United States Design Patent**
Erickson

(10) **Patent No.:** **US D562,371 S**
(45) **Date of Patent:** **** Feb. 19, 2008**

(54) **CLASP FOR A WEARABLE ARTICLE**

DESCRIPTION

(75) Inventor: **Victoria Erickson**, Las Vegas, NV (US)

(73) Assignee: **Erickson Communications, LLC**, Las Vegas, NV (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/268,505**

(22) Filed: **Nov. 7, 2006**

(51) **LOC (8) Cl.** **02-07**

(52) **U.S. Cl.** **D15/216**

(58) **Field of Classification Search** D11/200–201,
D11/206–210, 214–216, 218; 24/163 R,
24/169–171, 173, 177–179, 191, 194, 195,
24/200, 197

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D56,246 S *	9/1920	Alterson	D11/216
D165,080 S *	11/1951	Lenneberg	D11/87
D166,409 S *	4/1952	Paciello	D11/201
D167,823 S *	9/1952	Bliss	D11/200
D200,155 S *	1/1965	Hedu	D11/216
D264,828 S *	6/1982	Gray	D11/87
D361,362 S *	8/1995	Hoard	D21/805
D469,383 S *	1/2003	Young	D11/200

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Weide & Miller, Ltd.

(57) **CLAIM**

The ornamental design for a clasp for a wearable article, as shown and described.

FIG. 1 is an isometric view of an uncoupled clasp for a wearable article in accordance with a first embodiment of the present invention;

FIG. 2 is a top view of the clasp for a wearable article of FIG. 1;

FIG. 3 is a front view of the clasp for a wearable article of FIG. 1;

FIG. 4 is a rear view of the clasp for a wearable article of FIG. 1;

FIG. 5 is an isometric view of a coupled clasp for a wearable article in accordance with the first embodiment of the present invention;

FIG. 6 is an isometric view of an uncoupled clasp for a wearable article in accordance with a second embodiment of the present invention;

FIG. 7 is a top view of the clasp for a wearable article of FIG. 6;


FIG. 8 is a front view of the clasp for a wearable article of FIG. 6;

FIG. 9 is a rear view of the clasp for a wearable article of FIG. 6; and,

FIG. 10 is an isometric view of a coupled clasp for a wearable article in accordance with the second embodiment of the present invention.

The portion of the figures shown in dotted lines represent a band. The band comprises one wearable article with which the clasp of the invention may be associated. The dotted line portion of the figures, however, forms no portion of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10