



US00D562475S

(12) **United States Design Patent**  
**Höjer**

(10) **Patent No.:** **US D562,475 S**

(45) **Date of Patent:** **\*\* Feb. 19, 2008**

(54) **HEADLIGHT**

D529,213 S \* 9/2006 Shiu ..... D26/39  
D532,538 S \* 11/2006 Yuen ..... D26/39

(75) Inventor: **Torbjörn Höjer**, Hägersten (SE)

\* cited by examiner

(73) Assignee: **Primus AB**, Solna (SE)

*Primary Examiner*—Marcus A. Jackson

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Lackebach Siegel, LLP

(21) Appl. No.: **29/221,269**

(57) **CLAIM**

(22) Filed: **Jan. 13, 2005**

The ornamental configuration for the headlight, as shown and described.

(30) **Foreign Application Priority Data**

**DESCRIPTION**

Jul. 15, 2004 (SE) ..... 04-0522

(51) **LOC (8) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Classification Search** ..... D26/28–36,  
D26/139; 362/459–468, 475–478, 485–487

See application file for complete search history.

FIG. 1 is a front side perspective view of the headlight;  
FIG. 2 is a front view of the headlight;  
FIG. 3 is a rear view of the headlight;  
FIG. 4 is a right side view of the headlight;  
FIG. 5 is a left view of the headlight;  
FIG. 6 is a top plan view of the headlight; and,  
FIG. 7 is a bottom plan view of the headlight.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D520,656 S \* 5/2006 Shiu ..... D26/28

**1 Claim, 7 Drawing Sheets**





FIG. 1






FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7