



US00D562527S

(12) **United States Design Patent**  
**Beck**

(10) **Patent No.:** **US D562,527 S**

(45) **Date of Patent:** **\*\* Feb. 26, 2008**

(54) **CUMMERBUND FOR ATTACHMENT TO  
LOAD BEARING VEST**

(75) Inventor: **Jason Beck**, Peoria, AZ (US)

(73) Assignee: **Diamondback Tactical LLLP**, Peoria,  
AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/249,464**

(22) Filed: **Oct. 6, 2006**

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D2/627; D2/624**

(58) **Field of Classification Search** ..... D2/624,  
D2/626, 627, 633, 635, 639, 640; D29/100,  
D29/101.1, 101.5, 101.3; 2/44, 300, 311,  
2/338, 339, 464, 455, 912, 920; 24/68 SB;  
297/464, 468, 483; D24/190, 191, 206; 602/19  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,554,337	A *	5/1951	Lampert	.....	606/237
D243,037	S *	1/1977	Spiro	.....	D24/190
4,472,839	A *	9/1984	Johansen	.....	2/338
4,788,941	A *	12/1988	Villeneuve	.....	119/857
D355,748	S *	2/1995	Dancyger	.....	D29/101.5
D378,305	S *	3/1997	Tolleson	.....	D2/624
5,611,084	A *	3/1997	Garry et al.	.....	2/93
5,622,294	A *	4/1997	Evans	.....	224/184
5,660,445	A *	8/1997	Murray	.....	297/485
D408,598	S *	4/1999	Martell	.....	D30/153
D411,356	S *	6/1999	Roper	.....	D30/146

D417,753	S *	12/1999	Wiley	.....	D29/101.1
D481,851	S *	11/2003	Graige	.....	D2/627
6,651,594	B1 *	11/2003	Bagwell	.....	119/770
D496,108	S *	9/2004	Machin et al.	.....	D24/206
D501,288	S *	2/2005	Taylor	.....	D2/627
D501,582	S *	2/2005	Yang	.....	D29/101.3
7,243,376	B2 *	7/2007	Johnson	.....	2/102

\* cited by examiner

*Primary Examiner*—Stella M. Reid

*Assistant Examiner*—Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm*—Snell & Wilmer L.L.P.

(57) **CLAIM**

The ornamental design for a cummerbund for attachment to load bearing vest, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a cummerbund for attachment to load bearing vest showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a right side elevation view thereof;

FIG. 4 is a rear elevation view thereof;


FIG. 5 is a left elevation view thereof;


FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.


The broken lines showing on the cummerbund for attachment to load bearing vest are understood to represent buckles, and are not part of the claimed design.

**1 Claim, 4 Drawing Sheets**







*Fig. 1*




*Fig. 2*



*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*