

US00D562761S

(12) **United States Design Patent** (10) **Patent No.:** **US D562,761 S**
Ueda et al. (45) **Date of Patent:** **** Feb. 26, 2008**

(54) **BATTERY CHARGER**

(75) Inventors: **Arinobu Ueda**, Tokyo (JP); **Kazuki Isono**, Kanagawa (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/269,451**

(22) Filed: **Dec. 1, 2006**

(30) **Foreign Application Priority Data**

Jun. 2, 2006 (JP) D2006-014169

(51) **LOC (8) Cl.** **13-02**

(52) **U.S. Cl.** **D13/107**

(58) **Field of Classification Search** D13/107–110,
D13/118–119, 184; D14/251, 253, 432,
D14/434; 320/107–115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D310,203 S 8/1990 Takahashi et al.
D331,220 S * 11/1992 Tsuchiya D13/107
D348,427 S 7/1994 Ohmaki et al.
D350,113 S * 8/1994 Nagele D13/110
D356,776 S 3/1995 Yoshii
5,415,947 A 5/1995 Mitsui et al.
D362,424 S 9/1995 Sumita et al.
5,611,701 A * 3/1997 Hahn 439/131
5,613,863 A * 3/1997 Klaus et al. 439/131
D403,656 S 1/1999 Ichikawa
D406,259 S * 3/1999 Lindahl D13/110
D411,823 S * 7/1999 Jacobs et al. D13/107
D412,487 S * 8/1999 Nagele et al. D13/108
D417,188 S 11/1999 Maeyama
D425,480 S * 5/2000 Jokinen D13/107
D428,384 S 7/2000 Maeyama
D434,370 S * 11/2000 Sun et al. D13/107
D442,544 S * 5/2001 Ku D13/107
D443,856 S 6/2001 Lehtovaara
D449,030 S * 10/2001 Baxter et al. D13/110

D454,837 S 3/2002 Ibuki et al.
D456,004 S 4/2002 Lie
D503,922 S 4/2005 Shimizu
D515,501 S 2/2006 Kawasaki
D543,935 S * 6/2007 Ke D13/107
D546,281 S * 7/2007 Bell D13/107

FOREIGN PATENT DOCUMENTS

JP D1070747 S 5/2000

(Continued)

OTHER PUBLICATIONS

Office Action mailed Feb. 27, 2007.

(Continued)

Primary Examiner—Cathron Brooks

Assistant Examiner—Rosemary Tarcza

(74) *Attorney, Agent, or Firm*—Rader, Fishman & Grauer
PLLC

(57) **CLAIM**

The ornamental design for a battery charger, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent with color drawings will be provided by the Office upon request and payment of the necessary fee.

FIG. 1 is a perspective view of a battery charger showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets
(7 of 7 Drawing Sheet(s) Filed in Color)



FOREIGN PATENT DOCUMENTS

JP	D1071207 S	5/2000
JP	D1076597 S	6/2000
JP	D1076598 S	6/2000
JP	D1078608 S	7/2000
JP	D1079699-1 S	7/2000
JP	D1079699 S	7/2000
JP	D1079700-1 S	7/2000
JP	D1079700-2 S	7/2000
JP	D1079700 S	7/2000
JP	D1083414 S	8/2000
JP	D1114489 S	7/2001

JP	D1125656 S	11/2001
JP	D1125771 S	11/2001
JP	D1158813 S	11/2002
JP	D1190073 S	11/2003
JP	D1206468 S	5/2004
JP	D1207466 S	6/2004
JP	D1207509 S	6/2004
JP	D. 1212150 S	7/2004

OTHER PUBLICATIONS

Office Action and Search Report issued on Aug. 24, 2007 (Taiwan).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7