



US00D562889S

(12) **United States Design Patent**
Qiu et al.

(10) **Patent No.:** **US D562,889 S**

(45) **Date of Patent:** **** Feb. 26, 2008**

(54) **HIGHLIGHTER**

(75) Inventors: **Zhiming Qiu**, Ningbo (CN); **Liming Li**, Ningbo (CN)

(73) Assignee: **Beifa Group Co., Ltd.**, Ningbo (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/249,502**

(22) Filed: **Oct. 9, 2006**

(30) **Foreign Application Priority Data**

Apr. 11, 2006 (CN) 2006 3 0013813

(51) **LOC (8) Cl.** **19-06**

(52) **U.S. Cl.** **D19/43**

(58) **Field of Classification Search** D19/35,
D19/36, 41, 42, 43, 44, 45, 46, 47, 48, 49,
D19/50, 51, 54, 55, 56, 57; 24/11 R, 11 F,
24/11 P; 40/334; 401/52, 99, 100, 104,
401/105, 106, 107, 108, 109, 192, 195, 196

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D58,281 S *	6/1921	Whitaker	D23/211
3,039,132 A *	6/1962	Hambley	401/220
3,134,131 A *	5/1964	Thomas	401/208
3,349,975 A *	10/1967	Damron	222/542
4,168,128 A *	9/1979	Fillmore et al.	401/213
4,183,685 A *	1/1980	Hofmann et al.	401/202
4,221,495 A *	9/1980	Braun et al.	401/213
D260,272 S	8/1981	Horntrich		
D279,224 S *	6/1985	Wolbrom	D28/7
4,652,163 A *	3/1987	Karliner et al.	401/195
4,840,511 A *	6/1989	Fattori et al.	401/213
D306,315 S *	2/1990	Shintani	D19/36
D309,913 S	8/1990	Shintani		
D324,879 S *	3/1992	Morgan	D19/36
D340,186 S *	10/1993	Rand et al.	D9/529
5,308,178 A	5/1994	Jiang		
D368,220 S *	3/1996	Bicknell et al.	D9/726
5,538,161 A *	7/1996	Koehler et al.	222/46
D399,253 S	10/1998	Raymond		
5,846,011 A *	12/1998	Bernstein et al.	401/205
D414,204 S	9/1999	Reichmann		
D463,490 S	9/2002	Reichmann		
D470,529 S	2/2003	Tu		
D476,363 S	6/2003	Hung		

D482,065 S *	11/2003	Hung	D19/36
D482,726 S	11/2003	Hung		
D492,347 S *	6/2004	Qiu	D19/43
D498,258 S *	11/2004	Song	D19/43
D500,081 S *	12/2004	Hung	D19/43
D546,879 S *	7/2007	Qiu	D19/44
2004/0146335 A1	7/2004	Kaempf		

OTHER PUBLICATIONS

Qiu, Z., U.S. Appl. No. 29/232,861, filed Jun. 24, 2005.

Qiu, Z., et al., U.S. Appl. No. 29/249,969, filed Oct. 27, 2006.

* cited by examiner

Primary Examiner—Elizabeth A. Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a highlighter, as shown and described.

DESCRIPTION

FIG. 1 is a lower right perspective view of a highlighter showing our new design;

FIG. 2 is an upper right perspective view of the highlighter shown in FIG. 1, with the highlighter cap removed and placed on the opposite end of the highlighter;

FIG. 3 is an exploded lower right perspective view of the highlighter shown in FIG. 1;

FIG. 4 is a front elevational view of the highlighter shown in FIG. 1;

FIG. 5 is a top plan view thereof;

FIG. 6 is a right side elevational view thereof;


FIG. 7 is a rear elevational view thereof;

FIG. 8 is a bottom plan view thereof; and,

FIG. 9 is a left side elevational view thereof.

The oval broken line drawn just inside the cap of FIG. 3 represents the bounds of the claim.

1 Claim, 4 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 6.




Fig. 5.




Fig. 7.




Fig. 9.




Fig. 8.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 562,889 S
APPLICATION NO. : 29/249502
DATED : February 26, 2008
INVENTOR(S) : Z. Qiu et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

<u>COLUMN</u>	<u>LINE</u>	
Title page, item (30) Pg. 1, col. 1	Foreign Appl. Priority Data	“2006 3 0013813” should read --2006 3 0013813.0--
Title page, under cited by Ex. col. 2	Asst. Exam.	“Karen E Eldridge Powers” should read --Karen E. Eldridge Powers--

Signed and Sealed this

Twenty-seventh Day of January, 2009



JOHN DOLL
Acting Director of the United States Patent and Trademark Office