

US00D563056S

(12) **United States Design Patent**
Parsons

(10) **Patent No.:** **US D563,056 S**

(45) **Date of Patent:** **** Feb. 26, 2008**

- (54) **RIGID HANDCUFF**
- (75) Inventor: **Kevin L. Parsons**, Appleton, WI (US)
- (73) Assignee: **Armament Systems and Procedure, Inc.**, Appleton, WI (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/238,041**
- (22) Filed: **Sep. 9, 2005**

6,588,240	B2 *	7/2003	Anderson	70/16
6,886,374	B2 *	5/2005	Clifton, Jr.	70/16
7,117,697	B2 *	10/2006	Parsons et al.	70/16
7,210,317	B2 *	5/2007	Beane et al.	70/16
2002/0189302	A1 *	12/2002	Anderson	70/16
2004/0216501	A1 *	11/2004	Clifton, Jr.	70/16
2004/0237604	A1 *	12/2004	Kim et al.	70/16
2005/0005656	A1 *	1/2005	Seebock	70/16
2005/0097929	A1 *	5/2005	Anderson	70/16
2005/0262899	A1 *	12/2005	Parsons	70/16
2007/0056332	A1 *	3/2007	Parsons et al.	70/16
2007/0193312	A1 *	8/2007	Parsons	70/16

- (51) **LOC (8) Cl.** **08-07**
 - (52) **U.S. Cl.** **D29/120.2**
 - (58) **Field of Classification Search** D29/100,
D29/120.1, 120.2, 113; 2/16, 17, 170; 24/16 PB;
70/14, 15, 16, 17, 18, 19; 119/770; 128/869,
128/878
- See application file for complete search history.

* cited by examiner

Primary Examiner—T. Chase Nelson
(74) *Attorney, Agent, or Firm*—Welsh & Katz, Ltd.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D61,149	S *	7/1922	Blake	D29/113
2,966,787	A *	1/1961	Tompkins	70/16
3,618,345	A *	11/1971	Smith	70/16
4,138,867	A *	2/1979	Tompkins	70/16
4,840,048	A	6/1989	Elam	
5,007,257	A *	4/1991	Thompson	70/16
5,205,142	A *	4/1993	Kruger et al.	70/16
5,233,848	A *	8/1993	Elam	70/16
D352,572	S *	11/1994	Pustizzi, Jr.	D29/120.2
D369,440	S *	4/1996	Mariano	D29/120.2
5,526,658	A	6/1996	Cross et al.	
D373,446	S *	9/1996	Kim et al.	D29/120.2
5,598,723	A *	2/1997	Ecker et al.	70/16
5,613,381	A *	3/1997	Savage	70/16
5,687,593	A *	11/1997	Cross	70/16
5,697,231	A *	12/1997	Tobin, Jr.	70/16

(57) **CLAIM**

The ornamental design for a rigid handcuff, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rigid handcuff in accordance with my new design;

FIG. 2 is a plan view of the rigid handcuff of FIG. 1;

FIG. 3 is a plan view of the opposite side of the rigid handcuff of FIG. 2;

FIG. 4 is a side edge view thereof;

FIG. 5 is an opposite side edge view thereof; and,

FIG. 6 is an end view thereof, the opposite end view being a mirror image.

The portions of the rigid handcuff depicted in broken lines in FIGS. 1, 2 and 3 form no part of the ornamental design.

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6