

US00D563257S

# (12) United States Design Patent (10) Patent No.:

### Schumacher

US D563,257 S

(45) Date of Patent:

Mar. 4, 2008

### JEWELRY WITH FAUX DRILL BIT

(76)	Inventor:	Bernard P. Schumacher, 106 Cherokee
		Ave., Bismarck, ND (US) 58501

(**)	Term:	14 Years
. ,	101111.	i + icais

	(21)	\ A	nn1	$N_{0}$ .	20/	250	560
Į	(Z1)	P	xppr.	No.:	4914	400,	ついソ

#### Apr. 24, 2006 Filed:

(51)	LOC (8) Cl.	•••••	<b>11-0</b> 2
------	-------------	-------	---------------

(-1)	200 (0) 011	
(52)	U.S. Cl	 D11/26

(58)Field of Classification Search .......... D11/26–39, D11/3, 89–91; 63/15, 15.1–15.4, 15.45,

See application file for complete search history.

63/15.5, 15.6, 15.65, 15.7, 26–27

#### (56)**References Cited**

#### U.S. PATENT DOCUMENTS

D211,488 S	*	6/1968	Howe	D11/30
D412,459 S	*	8/1999	Collins	D11/34
D493,741 S	*	8/2004	Pachachi	D11/26
D495,268 S	*	8/2004	Orlandini et al	D11/26

#### OTHER PUBLICATIONS

Schumacher, U.S. copyright application filed on May 19, 2006, Jewelry With Faux Drill Bit, Control No. 61-417-0228(R). Copyright Examiner's letter of Sep. 6, 2006, with enclosures, in Control No. 61-417-0228(R).

## \* cited by examiner

Primary Examiner—Ian Simmons Assistant Examiner—Melanie Levy (74) Attorney, Agent, or Firm—Christopher John Rudy

#### (57)**CLAIM**

The ornamental design for jewelry with faux drill bit, as shown and described.

#### DESCRIPTION

FIG. 1 is a side view of jewelry with faux drill bit, showing my new design, with the opposing side a mirror image thereof;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a bottom perspective view thereof;

FIG. 7 is a bottom view of the ring seen in FIGS. 1–6, having a smooth upper inside dome, with the remaining views correspondent to those FIGS. 1–4 and 6;

FIG. 8 is a top view of jewelry with faux drill bit showing my new design, and having a stone set in the faux drill bit. Remaining views are correspondent to those of FIGS. 1–3, 5 and 6 or 7;

FIG. 9 is a side view of a second embodiment of jewelry with faux drill bit, which correspond to the views of FIGS.


1–4, but with stones mounted on the outside, with the opposing side a mirror image thereof;


FIG. 10 is a front view of FIG. 9, with remaining views correspondent to those FIGS. 5 and 6 or 5 and 7;


FIG. 11 is a rear view of FIG. 9, with remaining views correspondent to those FIGS. 5 and 6 or 5 and 7; and,

FIG. 12 is a top plan view of FIG. 9, with remaining views correspondent to those FIGS. 5 and 6 or 5 and 7.

### 1 Claim, 2 Drawing Sheets










Fig. 10




Fig. 11




Fig. 12