



US00D563258S

(12) **United States Design Patent**
Ousley

(10) **Patent No.:** **US D563,258 S**
(45) **Date of Patent:** **** Mar. 4, 2008**

(54) **CLASP FOR A WATCH OR ARTICLE OF JEWELRY**

DESCRIPTION

(75) Inventor: **Mitchell D. Ousley**, Fort Lauderdale, FL (US)

(73) Assignee: **Montesino International Corp.**, Fort Lauderdale, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/257,047**

(22) Filed: **Mar. 29, 2006**

(51) **LOC (8) Cl.** **11-01**

(52) **U.S. Cl.** **D11/87**

(58) **Field of Classification Search** D11/200–201, D11/206–210, 214–216, 218, 86–87; 24/163 R, 24/169–171, 173, 177–179, 191, 194, 195, 24/200, 197, 656; 63/21

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D200,155 S * 1/1965 Hedu D11/216
5,860,199 A * 1/1999 Liu 24/656

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Daniel C. Crilly; Kevin P. Crosby; Brinkley, Morgan, et al.

(57) **CLAIM**

The ornamental design for a clasp for a watch or article of jewelry, as shown and described.

FIG. 1 is a front orthographic view of my ornamental design for a clasp for a watch or article of jewelry in a closed position.

FIG. 2 is a rear orthographic view thereof in a closed position.

FIG. 3 is a top orthographic view thereof in a closed position.

FIG. 4 is a bottom orthographic view thereof in a closed position.

FIG. 5 is a right side orthographic view thereof in a closed position, the left side view being a mirror image of the right side view.

FIG. 6 is a top orthographic view thereof when the clasp is in an open position.

FIG. 7 is a right side orthographic view of a hinged portion thereof when the clasp is in an open position.

FIG. 8 is a left side orthographic view of the hinged portion thereof when the clasp is in an open position.

FIG. 9 is a left side orthographic view of a non-hinged portion thereof when the clasp is in an open position.


FIG. 10 is a right side orthographic view of the non-hinged portion thereof when the clasp is in an open position.

FIG. 11 is a front perspective view thereof in a closed position; and,

FIG. 12 is a rear perspective view thereof in a closed position.

The structures shown in phantom or broken lines in FIGS. 1–12 form no part of the claimed design and are included only to illustrate an environment.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 10



FIG. 9




FIG. 8




FIG. 7




FIG. 11




FIG. 12