



US00D563298S

(12) **United States Design Patent**
Cardellini

(10) **Patent No.:** **US D563,298 S**
(45) **Date of Patent:** **** Mar. 4, 2008**

(54) **DECO GAUGE CLUSTER FACEPLATE**

Primary Examiner—Stacia Cadmus

(76) **Inventor:** **Dennis Roy Cardellini**, 3605 Valley View Ct., Livermore, CA (US) 94551

(57) **CLAIM**

The ornamental design for a deco gauge cluster faceplate, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/223,884**

My deco gauge cluster faceplate is designed to fit into the original instrument panel location in 1940 Ford autos and 1940–1947 Ford pickup trucks. It enables the use of modern electronic gauges while maintaining an art deco style that is consistent with the original Ford dash.

(22) **Filed:** **Feb. 22, 2005**

FIG. 1 is a front view of a deco gauge cluster faceplate, showing my new design;

(51) **LOC (8) Cl.** **12-16**

FIG. 2 is a rear view thereof;

(52) **U.S. Cl.** **D12/192**

FIG. 3 is a front perspective view thereof; and,

(58) **Field of Classification Search** D12/192;
180/90; 280/750–752; 296/190–191, 70;
D10/46, 102, 98, 122–127; D15/17, 28;
D14/258, 168, 157, 257

FIG. 4 is a rear perspective view thereof.

See application file for complete search history.

My deco gauge cluster faceplate is characterized by the following:

(56) **References Cited**

1—The opening in the faceplate for the speedometer is cut as a full circle.

U.S. PATENT DOCUMENTS

2—The opening in the faceplate for each of the 4 supporting gauges are cut as a $\frac{2}{3}$ circle, thus creating an uncluttered appearance.

D54,194 S	*	11/1919	Berge	D12/192
D74,057 S	*	12/1927	Knapp	D12/192
D450,023 S	*	11/2001	Rayburn	D12/192
D450,283 S	*	11/2001	Rayburn	D12/192
D494,905 S	*	8/2004	Kraus et al.	D12/192
D502,906 S	*	3/2005	Chao	D12/192
D502,907 S	*	3/2005	Chao	D12/192
D504,094 S	*	4/2005	Chao	D12/192
D504,644 S	*	5/2005	Chao	D12/192
D514,996 S	*	2/2006	Rayburn	D12/192
D529,423 S	*	10/2006	Yu et al.	D12/192


3—The openings in the front of the faceplate are bordered by a raised and polished surface that forms a waterfall shape from the center outward. This creates an art deco style appearance.

4—The recessed surfaces in the front of the faceplate are designed to be painted to match the gauge cluster's surroundings (e.g. the dash in which the gauges are installed).

5—The rear of the faceplate has recesses cut into it for mounting the gauges.

* cited by examiner

1 Claim, 2 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4