



US00D563329S

(12) **United States Design Patent**  
**Sano et al.**

(10) **Patent No.: US D563,329 S**  
(45) **Date of Patent: \*\* Mar. 4, 2008**

(54) **DIAPHRAGM FOR A SWITCH**  
(75) Inventors: **Yoshiro Sano**, Okayama (JP); **Hideki Mitsuoka**, Okayama (JP); **Tetsuya Fukuda**, Okayama (JP)  
(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

D473,685 S \* 4/2003 McLain et al. .... D32/25  
6,670,750 B2 \* 12/2003 Hanahara et al. .... 313/511  
D496,337 S 9/2004 Kaizu et al.  
D518,696 S \* 4/2006 Schoen ..... D8/62  
7,094,140 B2 \* 8/2006 Palushi et al. .... 451/548  
D536,942 S \* 2/2007 Cooper et al. .... D8/62  
D544,324 S \* 6/2007 Waldron ..... D8/62

(\*\*) Term: **14 Years**

JP D 1170029 4/2003  
JP D 1200221 3/2004

(21) Appl. No.: **29/245,326**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Dec. 21, 2005**

Sano et al., U.S. Design Application entitled "Diaphragm For A Switch," U.S. Appl. No. 29/245,243, filed Dec. 21, 2005.

(30) **Foreign Application Priority Data**

Sep. 20, 2005 (JP) ..... 2005-027102

\* cited by examiner

(51) **LOC (8) Cl.** ..... **13-03**

*Primary Examiner*—Selina Sikder

(52) **U.S. Cl.** ..... **D13/173**

*Assistant Examiner*—Thomas J Johannes

(58) **Field of Classification Search** ..... D13/122,  
D13/158–177, 184; D10/103; 92/42; 606/234;  
313/511; 200/83 N, 83 J, 406; D8/62, 66,  
D8/70

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

See application file for complete search history.

(57) **CLAIM**

We claim the ornamental design for a diaphragm for a switch, as shown and described.

(56) **References Cited**

**DESCRIPTION**

U.S. PATENT DOCUMENTS

D33,305 S \* 10/1900 Thomas ..... D13/173  
3,082,451 A \* 3/1963 Smithson ..... 15/4  
3,133,170 A \* 5/1964 Nanninga ..... 200/406  
3,898,405 A \* 8/1975 Weber ..... 200/83 J  
4,172,412 A \* 10/1979 Sepso ..... 92/42  
D269,670 S \* 7/1983 Fulmer et al. .... D13/122  
4,858,590 A \* 8/1989 Bailey ..... 126/39 H  
4,965,415 A \* 10/1990 Young et al. .... 200/83 N  
D320,361 S \* 10/1991 Karasawa ..... D10/103  
5,782,867 A \* 7/1998 Shrock et al. .... 606/234  
6,413,157 B1 \* 7/2002 Marton ..... 451/357  
D464,630 S \* 10/2002 Woodworth ..... D13/171

FIG. 1 is a top perspective view of a diaphragm for a switch of the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a first side view thereof;

FIG. 4 is a second side view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof; and,

FIG. 7 is a rear view thereof.

**1 Claim, 3 Drawing Sheets**




FIG. 1





FIG. 2




*FIG.3*




*FIG.4*



*FIG.5*



*FIG.6*



*FIG.7*

